Printing date 05.06.2013

Revision: 05.06.2013

1 Identification of the substance/mixture and of the company/undertaking
· 1.1 Product identifier
• Trade name: MODEL 4441 40mm OC Powder Barricade Projectile
<ul> <li>Article number: Model 4441</li> <li>1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.</li> </ul>
<ul> <li>Application of the substance / the preparation Explosive product.</li> </ul>
<ul> <li>1.3 Details of the supplier of the Safety Data Sheet</li> <li>Manufacturer/Supplier: Combined Systems, Inc. 388 Kinsman Rd. Jamestown, PA 16134 Phone: (724) 932-2177</li> </ul>
<ul> <li>1.4 Emergency telephone number: ChemTel Inc.</li> </ul>
(800)255-3924, +1 (813)248-0585
O Herevde identification
2 Hazards identification
<ul> <li>· 2.1 Classification of the substance or mixture</li> <li>· Classification according to Regulation (EC) No 1272/2008</li> </ul>
GHS01 exploding bomb
Expl. 1.4 H204 Fire or projection hazard.
GHS07
Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H312 Harmful in contact with skin.
Acute Tox. 4 H332 Harmful if inhaled.
Classification according to Directive 67/548/EEC or Directive 1999/45/EC     Xn; Harmful
R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.
<ul> <li>R5: Heating may cause an explosion.</li> <li>Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.</li> <li>Classification system:</li> </ul>
The classification is according to the latest editions of the EU-lists, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company. (Contd. on page 2)

Printing date 05.06.2013

Trade name: MODEL 4441 40mm OC Powder Barricade Projectile

Revision: 05.06.2013

## (Contd. of page 1) · 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS01 GHS07 · Signal word Warning · Hazard-determining components of labelling: **Oleoresin Capsicum** glycerol trinitrate · Hazard statements Fire or projection hazard. H204 H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P210 P250 Do not subject to arindina/shock/friction. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. DO NOT fight fire when fire reaches explosives. P373 P370+P380 In case of fire: Evacuate area. Explosion risk in case of fire. P372 · Hazard description: · WHMIS-symbols: F - Dangerously reactive material NFPA ratings (scale 0 - 4) Health = 2Fire = 2Reactivity = 3 · HMIS-ratings (scale 0 - 4) HEALTH 2 Health = 2 <sup>2</sup> Fire = 2 FIRE **REACTIVITY** Reactivity = 3 Warning: Contains lead salt(s). Long-term health hazard. · HMIS Long Term Health Hazard Substances None of the ingredients is listed. (Contd. on page 3)

Printing date 05.06.2013

Revision: 05.06.2013

## Trade name: MODEL 4441 40mm OC Powder Barricade Projectile

(Contd. of page 2)

## · 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Explosive Product Notice

PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that he is dealing with a powerful force and that various devices and methods have been developed to assist him in directing this force. He should realize that this force, if misdirected, may either kill or injure both him and his fellow workers.

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he should consult the manufacturer before use.

#### 3 Composition/information on ingredients · 3.2 Mixtures Description: Mixture of substances listed below with nonhazardous additions. · Dangerous components: CAS: 1309-48-4 magnesium oxide <10% EINECS: 215-171-9 substance with a Community workplace exposure limit Index number: 025-199-09-0 CAS: 8023-77-6 Oleoresin Capsicum <10% EINECS: 288-920-0 😡 T R25; 🗙 Xn R21; 🗙 Xi R36/37/38 🛞 Acute Tox. 2, H300; Acute Tox. 3, H311 Kin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 CAS: 55-63-0 <10% glycerol trinitrate EINECS: 200-240-8 🧕 T+ R26/27/28; 🎇 E R3; 🌄 N R51/53 Index number: 603-034-00-X R33 Onst. Expl., H200 Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330 🕉 STOT RE 2, H373 \lambda Aquatic Chronic 2, H411 Flam. Liq. 2, H225 · Additional information: For the wording of the listed risk phrases refer to section 16.

## 4 First aid measures

## · 4.1 Description of first aid measures

## General information:

Immediately remove any clothing soiled by the product.

(Contd. on page 4)

٦

# Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 05.06.2013

Г

Revision: 05.06.2013

	(Contd. of page 3
In case of irregular breathing or respiratory arrest provide artificial respiration.	
Take affected persons out into the fresh air.	
· After inhalation:	
Supply fresh air; consult doctor in case of complaints.	
In case of unconsciousness place patient stably in side position for transportation.	
· After skin contact:	
Immediately wash with water and soap and rinse thoroughly.	
If skin irritation continues, consult a doctor.	
· After eye contact:	
Remove contact lenses if worn.	
Rinse opened eye for several minutes under running water. If symptoms persist, cor	nsult a doctor.
· After swallowing:	
Unlikely route of exposure.	
Rinse out mouth and then drink plenty of water.	
Do not induce vomiting; call for medical help immediately.	
• 4.2 Most important symptoms and effects, both acute and delayed	
Blast injury if mishandled.	
Coughing	
Breathing difficulty	
Dizziness	
Nausea	
·Hazards	
Danger of blast or crush-type injuries.	
Danger of impaired breathing.	
Danger of circulatory collapse.	a
• 4.3 Indication of any immediate medical attention and special treatment neede	9 <b>0</b>
Contains nitroglycerin. Consult literature for specific antidotes.	
Product may produce physical injury if mishandled. Treatment of these injuries sl	nould be based on the
blast and compression effects.	
In cases of irritation to the lungs, initial treatment with cortical steroid inhalants.	
If necessary oxygen respiration treatment.	
5 Firefighting measures	
· 5.1 Extinguishing media	
· Suitable extinguishing agents:	
Flood area with water. If no water is available, carbon dioxide, dry chemical or ear	rth may be used. If the
fire reaches the cargo, withdraw and let fire burn.	
• For safety reasons unsuitable extinguishing agents: None.	
5.2 Special hazards arising from the substance or mixture	
Product may explode if burned in confined space. Individual cartridges may explo	de. Mass explosion o
many cartridges at once is unlikely.	- 1
Hazardous combustions products: Metal Compounds, Carbon Monoxide, Carbon D	ioxide, Nitrous Oxides
	,
Various complex oxides of metals. Nitrogen	
Various complex oxides of metals, Nitrogen. Formation of toxic gases is possible during heating or in case of fire.	
Formation of toxic gases is possible during heating or in case of fire.	
Formation of toxic gases is possible during heating or in case of fire. • 5.3 Advice for firefighters	
Formation of toxic gases is possible during heating or in case of fire.	

Printing date 05.06.2013

Revision: 05.06.2013

## Trade name: MODEL 4441 40mm OC Powder Barricade Projectile

(Contd. of page 4)

Do not inhale explosion gases or combustion gases. Wear fully protective suit.

## · Additional information

Cool endangered receptacles with water spray.

Eliminate all ignition sources if safe to do so.

Evacuate area and fight fire from from the upwind side.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

## 6 Accidental release measures

## · 6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Keep away from ignition sources.

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Protect from heat.

Isolate area and prevent access.

· 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

Handle with care. Avoid jolting, friction and impact.

Information about fire - and explosion protection:

Protect against electrostatic charges.

Prevent impact and friction.

Keep respiratory protective device available.

Emergency cooling must be available in case of nearby fire.

• 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• **Requirements to be met by storerooms and receptacles:** Avoid storage near extreme heat, ignition sources or open flame.

(Contd. on page 6)

Printing date 05.06.2013

Trade name: MODEL 4441 40mm OC Powder Barricade Projectile

(Contd. of page 5)

• **Information about storage in one common storage facility:** Store away from foodstuffs. Do not store together with oxidizing and acidic materials.

· Further information about storage conditions:

Store in dry conditions.

Protect from heat and direct sunlight.

· 7.3 Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients v	with limit values that require monitoring at the workplace:	
1309-48-4 ma	agnesium oxide	
PEL (USA)	15* mg/m <sup>3</sup> fume; *total particulate	
TLV (USA)	10* mg/m <sup>3</sup> *as inhalable fraction	
EL (Canada)	Short-term value: 10** mg/m <sup>3</sup> Long-term value: 10* 3** mg/m <sup>3</sup> *inhalable fume;**respirable dust and fume	
EV (Canada)	inhalable	
55-63-0 glyce	erol trinitrate	
PEL (USA)	Short-term value: C 2 mg/m <sup>3</sup> , C 0,2 ppm Skin	
REL (USA)	Short-term value: 0,1 mg/m <sup>3</sup> Skin	
TLV (USA)	0,46 mg/m³, 0,05 ppm Skin	
EL (Canada)	0,05 ppm Skin	
EV (Canada)	0,5 mg/m³, 0,05 ppm Skin	
· PNECs No fu	irther relevant information available. Irther relevant information available. I <b>formation:</b> The lists valid during the making were used as basis.	
General prot Keep away fro Wash hands	e controls btective equipment: tective and hygienic measures: om foodstuffs, beverages and feed. before breaks and at the end of work. gases / fumes / aerosols. (Contd. on page	e 7)

Revision: 05.06.2013

Printing date 05.06.2013

Revision: 05.06.2013

(Contd. of page 6)

## Trade name: MODEL 4441 40mm OC Powder Barricade Projectile

Avoid contact with the eyes and skin. • Respiratory protection:



Combined Organic Vapor and Particulate Respirator is recommended for use during all processing activities.

Wear positive pressure NIOSH or European EN149 vapor respirators when deploying product in large quantities.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to

be observed.

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment No further relevant information available.
- · Risk management measures

See Section 7 for additional information.

Organizational measures should be in place for all activities involving this product. No further relevant information available.

9 Physical and chemical properties		
<ul> <li>9.1 Information on basic</li> <li>General Information</li> <li>Appearance:</li> </ul>	physical and chemical properties	
Form:	Solid material	
Colour:	Dark grey	
· Odour:	Characteristic	
		(Contd. on page 8)

Printing date 05.06.2013

Revision: 05.06.2013

## Trade name: MODEL 4441 40mm OC Powder Barricade Projectile

	(Contd. of page	
· Odour threshold:	Not determined.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
· Flash point:	Not applicable.	
$\cdot$ Flammability (solid, gaseous):	Not determined.	
· Ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self-igniting.	
· Danger of explosion:	Extreme risk of explosion by shock, friction, fire or other sources of ignition.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not applicable.	
· Density:	Not determined.	
<ul> <li>Relative density</li> </ul>	Not determined.	
<ul> <li>Vapour density</li> </ul>	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Insoluble.	
· Partition coefficient (n-octanol/w	ater): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
<ul> <li>9.2 Other information</li> </ul>	No further relevant information available.	

## 10 Stability and reactivity

· 10.1 Reactivity

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions Danger of explosion.
- Reacts with strong acids and oxidizing agents.
- **10.4 Conditions to avoid** Keep ignition sources away - Do not smoke.

(Contd. on page 9)

Printing date 05.06.2013

Revision: 05.06.2013

Trade name: MODEL 4441 40mm OC Powder Barricade Projectile

(Contd. of page 8)

Store away from oxidizing agents. Keep away from heat and direct sunlight.

• 10.5 Incompatible materials: No further relevant information available.

## · 10.6 Hazardous decomposition products:

Hydrocarbons

Nitrogen oxides

Poisonous gases/vapours

- Carbon monoxide and carbon dioxide
- Toxic metal oxide smoke
- Leadoxide vapour

## 11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values relevant for classification:

8023-77	-6 Ole	oresin Capsicum
Oral		47,2 mg/kg (mouse)

3000 mg/kg (rat)

Dermal LD50 512 mg/kg (mouse)

55-63-0 glycerol trinitrate

Oral LD50 115 mg/kg (mouse) 105 mg/kg (rat)

		· • • • · · · g/ · · g (· •
Dermal	LD50	29 mg/kg (rat)

- 280 mg/kg (rabbit)
- Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Harmful

## 12 Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

(Contd. on page 10)

Printing date 05.06.2013

Revision: 05.06.2013

## Trade name: MODEL 4441 40mm OC Powder Barricade Projectile

(Contd. of page 9)

## · Additional ecological information:

## · General notes:

This statement was deduced from the properties of the single components.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

## 12.5 Results of PBT and vPvB assessment

- · PBT: Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## 13 Disposal considerations

## · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

## · Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· 14.1 UN-Number · DOT, ADR, IMDG, IATA	UN0301
<ul> <li>14.2 UN proper shipping name</li> <li>DOT, IMDG, IATA</li> <li>ADR</li> </ul>	AMMUNITION, TEAR-PRODUCING WITH BURSTER, EXPELLING CHARGE OR PROPELLING CHG 0301 AMMUNITION, TEAR-PRODUCING WITH BURSTER, EXPELLING CHARGE OR PROPELLING CHG
<ul> <li>14.3 Transport hazard class(es)</li> </ul>	
· DOT, ADR, IMDG, IATA	
1.4	
· Class	1.4
	(Contd. on page 11

Printing date 05.06.2013

Revision: 05.06.2013

## Trade name: MODEL 4441 40mm OC Powder Barricade Projectile

	(Contd. of page 10)
1.4G	
II	
No	
Not applicable. <u>F-A</u> ,S-Q	
l of Not applicable.	
DOT: EX2002040003	
UN0301, 0301, 1.4G, II	
	II No Not applicable. <u>F-A</u> ,S-Q I of Not applicable. DOT: EX2002040003

## **15 Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · United States (USA)

· SARA

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

55-63-0 glycerol trinitrate

7440-50-8 copper

7440-66-6 zinc powder -zinc dust (pyrophoric)

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65 (California):

· Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide

· Carcinogenic Categories

· EPA (Environmental Protection Agency)

7440-50-8 copper

(Contd. on page 12)

D

Printing date 05.06.2013

Revision: 05.06.2013

## Trade name: MODEL 4441 40mm OC Powder Barricade Projectile

		(Contd. of page
	66-6 zinc powder -zinc dust (pyrophoric)	
10022-3	31-8 barium nitrate	CE
-	nternational Agency for Research on Cancer)	
1345-04	1-6 antimony sulphide	
-	nreshold Limit Value established by ACGIH)	
	18-4 magnesium oxide	F
10022-3	31-8 barium nitrate	ŀ
· NIOSH-	Ca (National Institute for Occupational Safety and Health)	
None of	the ingredients is listed.	
· OSHA-0	Ca (Occupational Safety & Health Administration)	
None of	f the ingredients is listed.	
· Canada	1	
	an Domestic Substances List (DSL)	
All ingre	edients are listed.	
· Canadia	an Ingredient Disclosure list (limit 0.1%)	
None of	the ingredients is listed.	
· Canadia	an Ingredient Disclosure list (limit 1%)	
	3-4 magnesium oxide	
6 Other	information	
	ormation is based on our present knowledge. However, this shall not constitute a product features and shall not establish a legally valid contractual relationship.	guarantee for
· Relevar	nt phrases	
H200	Unstable explosives.	
H225 H300	Highly flammable liquid and vapour. Fatal if swallowed.	
H310	Fatal in swallowed. Fatal in contact with skin.	
H311	Toxic in contact with skin.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H335	May cause respiratory irritation.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H411	Toxic to aquatic life with long lasting effects.	
R21		
R25	Harmful in contact with skin.	
R26/27/	Harmful in contact with skin. Toxic if swallowed.	
R3	Toxic if swallowed. 28 Very toxic by inhalation, in contact with skin and if swallowed. Extreme risk of explosion by shock, friction, fire or other sources of ignition.	
R3 R33	Toxic if swallowed. 28 Very toxic by inhalation, in contact with skin and if swallowed.	

R36/37/38 Irritating to eyes, respiratory system and skin.

(Contd. on page 13)

Printing date 05.06.2013

Revision: 05.06.2013

## Trade name: MODEL 4441 40mm OC Powder Barricade Projectile

(Contd. of page 12) R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com