

# SAFETY DATA SHEET

Issue Date 12-Nov-2019

Revision Date 12-Nov-2019 Version 2.7

Page 1/16

### **1. IDENTIFICATION**

<u>Product identifier</u> Product Name	STABLCAL® FORMAZIN STANDARD 800 NTU
Other means of identification Product Code(s)	2660501
Safety data sheet number	M03413
Recommended use of the chemi	cal and restrictions on use

Recommended UseLaboratory Use. Standard solution.Uses advised againstNone.Restrictions on useNone.

Details of the supplier of the safety data sheet

#### Manufacturer Address

Hach Company P.O.Box 389 Loveland, CO 80539 USA +1(970) 669-3050

#### Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

# 2. HAZARDS IDENTIFICATION

#### **Classification**

#### **Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Respiratory sensitization	Category 1
Skin sensitization	Category 1

# Hazards not otherwise classified (HNOC)

Not applicable

#### Label elements

Signal word Danger



Product NameSTABLCAL® FORMAZIN STANDARD 800NTURevision Date12-Nov-2019Page2 / 16

#### Hazard statements

H317 - May cause an allergic skin reaction H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

#### Precautionary statements

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P285 - In case of inadequate ventilation wear respiratory protection

P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

P501 - Dispose of contents/ container to an approved waste disposal plant

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

#### Other Hazards Known

None

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Substance

Not applicable

#### <u>Mixture</u>

**Chemical Family** 

Mixture.

#### Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	100-97-0	5 - 10%	-
Sodium sulfate	7757-82-6	<1%	-
Diammonium sulfate	7783-20-2	<1%	-
Formaldehyde	50-00-0	<0.1%	-

#### 4. FIRST AID MEASURES

#### Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical advice/attention.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.
Ingestion	May produce an allergic reaction. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.

Product Code(s) 2660501	Product Name STABLCAL® FORMAZIN STANDARD 800		
Issue Date 12-Nov-2019 Version 2.7	NTU <b>Revision Date</b> 12-Nov-2019 <b>Page</b> 3 / 16		
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.		
Most important symptoms and effe	cts, both acute and delayed		
Symptoms	May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or wheezing. Itching. Rashes. Hives.		
Indication of any immediate medica	al attention and special treatment needed		
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.		
	5. FIRE-FIGHTING MEASURES		
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.		
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by inhalation and skin contact. May cause sensitization by skin contact.		
Hazardous combustion products	This material will not burn.		
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.		
	6. ACCIDENTAL RELEASE MEASURES		
U.S. Notice	Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.		
Personal precautions, protective ed	quipment and emergency procedures		
Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.		
Other Information	Refer to protective measures listed in Sections 7 and 8.		
Environmental precautions			
Environmental precautions	Prevent further leakage or spillage if safe to do so.		
Methods and material for containm	ent and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Pick up and transfer to properly labeled containers.		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		

Product Code(s) 2660501	Product Name STABLCAL <sup>®</sup> FORMAZIN STANDARD 800 NTU
Issue Date 12-Nov-2019	Revision Date 12-Nov-2019
Version 2.7	Page 4 / 16

**Reference to other sections** See section 8 for more information. See section 13 for more information.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Provide extract ventilation to points where emissions occur. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse.

#### Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.<br/>Keep out of the reach of children.Flammability classNot applicable

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	
Formaldehyde	STEL: 0.3 ppm	TWA: 0.75 ppm	IDLH: 20 ppm	
CAS#: 50-00-0	TWA: 0.1 ppm	(vacated) TWA: 3 ppm	Ceiling: 0.1 ppm 15 min	
		(vacated) STEL: 10 ppm	TWA: 0.016 ppm	
		(vacated) Ceiling: 5 ppm		
Annonziete en sin e evin s'e entre le		STEL: 2 ppm		
Appropriate engineering controls	Showers			
Engineering Controls	Eyewash stations			
	Ventilation systems.			
	ventilation systems.			
Individual protection measures, suc	h as personal protective equi	pment		
Respiratory protection	No protective equipment is need		ons. If exposure limits are	
	exceeded or irritation is experie	enced, ventilation and evacuati	on may be required.	
Hand Protection	Wear suitable gloves.			
Eye/face protection	Wear safety glasses with side shields (or goggles).			
	Wear early glasses with elde	sinclud (of goggloo).		
Skin and body protection	Wear suitable protective clothin	ng.		
General Hygiene Considerations	Avoid contact with skin, eyes of			
	not eat, drink or smoke when u		wash contaminated clothing	
	and gloves, including the inside	e, before re-use.		
Environmental exposure controls	Local authorities should be adv	vised if significant spillages car	not be contained. Do not	
	allow into any sewer, on the gr			
			-	
Thermal hazards	None under normal processing	].		

Issue Date 12-Nov-2019 Version 2.7

Product Name STABLCAL® FORMAZIN STANDARD 800 NTU Revision Date 12-Nov-2019 Page 5 / 16

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Appearance	Turbid solution	Liquid		Color	white	
Odor	aqueous solution Odorless			Odor threshold	No data ava	ailable
Property_			Values			Remarks • Method
Molecular weight	t		No data availal	ble		
рН			No data availal	ble		
Melting point/free	ezing point		~ 0 °C / 32	2°F		
Boiling point / bo	oiling range		~ 100 °C /	212 °F		
Evaporation rate			1 (water = 1)			
Vapor pressure			17.477 mm Hg	/ 2.33 kPa at 2	0 °C / 68 °F	=
Vapor density (ai	r = 1)		0.62 (Air = 1)			
Specific gravity (	water = 1 / air = 1)		1.02			
Partition Coeffici	ent (n-octanol/wat	er)	Not applicable			
	bon-Water Partition	า	Not applicable			
Coefficient Autoignition tem	perature		No data availal	ble		
Decomposition to	emperature		No data availal	ble		
Dynamic viscosit	ty		No data availal	ble		
Kinematic viscos	sity		No data availal	ble		
<b>O</b> = [], [][((], = _)						

#### Solubility(ies)

#### Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

#### Solubility in other solvents

Chemical Name	Solubility classification	Solubility	Solubility Temperature
None reported	No information available	No data available	No information available

#### **Other Information**

#### **Metal Corrosivity**

#### **Steel Corrosion Rate Aluminum Corrosion Rate**

No data available No data available

# Volatile Organic Compounds (VOC) Content No information available See ingredients information below

Issue Date 12-Nov-2019 Version 2.7

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]de cane	100-97-0	Not applicable	Х
Sodium sulfate	7757-82-6	No data available	-
Diammonium sulfate	7783-20-2	No data available	-
Formaldehyde	50-00-0	No data available	Х

#### **Explosive properties**

Upper explosion limit Lower explosion limit	No data available No data available
Flammable properties	
Flash point	No data available
Flammability Limit in Air Upper flammability limit Lower flammability limit	No data available No data available
Oxidizing properties	No data available.
Bulk density	No data available

# **10. STABILITY AND REACTIVITY**

#### Reactivity Not applicable.

#### Chemical stability

Stable under normal conditions.

#### Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Possibility of Hazardous Reactions

None under normal processing.

<u>Hazardous polymerization</u> None under normal processing.

#### Conditions to avoid

None known based on information supplied.

#### Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

#### Hazardous Decomposition Products

Ammonia. Carbon monoxide. Formaldehyde. Nitrogen oxides. Sodium oxides. Sulfur oxides.

# **11. TOXICOLOGICAL INFORMATION**

EN / AGHS

Issue Date 12-Nov-2019 Version 2.7

#### Information on Likely Routes of Exposure

Product Information	
Inhalation	May cause sensitization in susceptible persons.
Eye contact	No known effect based on information supplied.
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. May cause sensitization by skin contact.
Ingestion	May cause additional affects as listed under "Inhalation".
Symptoms	Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/ or wheezing. Itching. Rashes. Hives.

#### Acute toxicity

Based on available data, the classification criteria are not met

# Product Acute Toxicity Data

No data available.

# Ingredient Acute Toxicity Data

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Diammonium sulfate (<1%) CAS#: 7783-20-2	Rat LD₅₀	2840 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LD₅o	100 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rabbit LD₅₀	270 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LC <sub>50</sub>	0.578 mg/L	4 hours	None reported	LOLI

#### **Unknown Acute Toxicity**

0.00030371% of the mixture consists of ingredient(s) of unknown toxicity.

#### Acute Toxicity Estimations (ATE)

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available

Issue Date 12-Nov-2019 Version 2.7

ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

### Product Skin Corrosion/Irritation Data

No data available.

#### Ingredient Skin Corrosion/Irritation Data

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	OECD Test 404: Acute Dermal Corrosion/Irritation	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Sodium sulfate (<1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Diammonium sulfate (<1%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	800 mg	20 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS (Registry of Toxic Effects of Chemical Substances)

#### Serious eye damage/irritation

Based on available data, the classification criteria are not met.

# Product Serious Eye Damage/Eye Irritation Data

No data available.

#### Ingredient Eye Damage/Eye Irritation Data

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	OECD Test 405: Acute Eye Corrosion/Irritation	Rabbit	100 mg	24 hours	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)
Sodium sulfate (<1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	90 mg	24 hours	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)
Diammonium sulfate (<1%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	0.050 mL	None reported	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)
Formaldehyde (<0.1%) CAS#: 50-00-0	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances)

#### Respiratory or skin sensitization

May cause sensitization by inhalation. May cause sensitization by skin contact.

#### **Product Sensitization Data**

Issue Date 12-Nov-2019 Version 2.7

No data available.

#### Ingredient Sensitization Data

No data available.

Produc NTU	t Name	STABLCAL® FORMAZIN STANDARD	800
Revisio	on Date	12-Nov-2019	
Page	9/16		

Chemical name	Test method	Species	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	OECD Test No. 406: Skin Sensitization	Guinea pig	Confirmed to be a skin sensitizer	ECHA (The European Chemicals Agency)
Sodium sulfate (<1%) CAS#: 7757-82-6	OECD Test No. 406: Skin Sensitization	Guinea pig	Not confirmed to be a skin sensitizer	HSDB (Hazardous Substances Data Bank)
Formaldehyde (<0.1%) CAS#: 50-00-0	Patch test	Human	Confirmed to be a skin sensitizer	ERMA (New Zealands Environmental Risk Management Authority)
Chemical name	Test method	Species	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	Based on human experience	Human	Confirmed to be a respiratory sensitizer	HSDB (Hazardous Substances Data Bank)
Formaldehyde (<0.1%) CAS#: 50-00-0	IgE Specific Immune Response Test	Guinea pig	Confirmed to be a respiratory sensitizer	CICAD (Concise International Chemical Assessment Documents)

STOT - single exposure

Based on available data, the classification criteria are not met.

# Product Specific Target Organ Toxicity Single Exposure Data No data available.

# Ingredient Specific Target Organ Toxicity Single Exposure Data

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Diammonium sulfate (<1%) CAS#: 7783-20-2	Man TD∟₀	1500 mg/kg	None reported	Gastrointestinal Gas	RTECS (Registry of Toxic Effects of Chemical Substances)
Formaldehyde (<0.1%) CAS#: 50-00-0	Human LD⊾₀	70 mg/kg	None reported	Gastrointestinal Kidney, Ureter, or Bladder Liver Other changes Ulcerated stomach Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)

#### STOT - repeated exposure

Based on available data, the classification criteria are not met.

#### **Product Specific Target Organ Toxicity Repeat Dose Data** No data available.

#### **Ingredient Specific Target Organ Toxicity Repeat Exposure Data** No data available.

Chemical name Endpoint Reported Exposure Toxico	logical effects Key literature references and sources for data
---	--

Product Name STABLCAL® FORMAZIN STANDARD 800 NTU Revision Date 12-Nov-2019 Page 10/16

1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan	Rat NOAEL	80 mg/kg	None reported	None reported	Vendor SDS
e (5 - 10%) CAS#: 100-97-0					
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	Rat TC⊾₀	350 mg/m³	21 days	Kidney, Ureter, or Bladder Urine volume decreased or anuria Nutritional and Gross Metabolic Weight loss or decreased weight gain Biochemical Enzyme inhibition, induction, or change in blood or tissue levels (true cholinesterase)	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TC⊾₀	0.017 mg/L	0.5 days	Eye Lungs, Thorax, or Respiration Lacrimation Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)

Carcinogenicity Based on available data, the classification criteria are not met.

#### **Product Carcinogenicity Data**

No data available.

# Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
1,3,5,7-Tetraazatricyclo[3. 3.1.1(3,7)]decane	100-97-0	-	-	-	-
Sodium sulfate	7757-82-6	-	-	-	-
Diammonium sulfate	7783-20-2	-	-	-	-
Formaldehyde	50-00-0	A1	Group 1	Known	Х

#### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen A1 - Known Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of	X - Present
Labor)	

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Rat	15 mg/L	78 weeks	Olfaction	RTECS (Registry of Toxic
(<0.1%)		-		Tumors	Effects of Chemical
CAS#: 50-00-0					Substances)

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

# Product Germ Cell Mutagenicity invitro Data

No data available.

# Ingredient Germ Cell Mutagenicity invitro Data

No data available.

Product Name NTU	STABLCAL <sup>®</sup> FORMAZIN STANDARD 800
<b>Revision Date</b>	12-Nov-2019
<b>Page</b> 11 / 16	

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	, ,	Human HeLa Cell	1 mmol/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Product Germ Cell Mutagenicity invivo Data

No data available.

# Ingredient Germ Cell Mutagenicity invivo Data

No data available.

Chemical name	Test	Species	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data
1,3,5,7-Tetraazatricyc	Dominant lethal	Mouse	25000 mg/kg	None	Positive test result for	RTECS (Registry
lo[3.3.1.1(3,7)]decan	test			reported	mutagenicity	of Toxic Effects of
е						Chemical
(5 - 10%)						Substances)
CAS#: 100-97-0						
Chemical name	Test	Species	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data
Formaldehyde	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for	RTECS (Registry
(<0.1%)					mutagenicity	of Toxic Effects of
CAS#: 50-00-0						Chemical
						Substances)

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### Product Reproductive Toxicity Data

No data available.

#### Ingredient Reproductive Toxicity Data

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium sulfate	Mouse	14000 mg/kg	4 days	Effects on Newborn	RTECS (Registry of Toxic
(<1%)	TDLo			Other neonatal measures or	Effects of Chemical
CAS#: 7757-82-6				effects	Substances)
Chemical name	Endpoint	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
	type	uose	ume		Sources for data
Formaldehyde	Rat	40 mg/L	14 days	Effects on Embryo or Fetus	RTECS (Registry of Toxic
Formaldehyde (<0.1%)				Effects on Embryo or Fetus Fetotoxicity (except death e.g.	

#### Aspiration hazard

Based on available data, the classification criteria are not met.

# **12. ECOLOGICAL INFORMATION**

Issue Date 12-Nov-2019 Version 2.7 Product Name STABLCAL® FORMAZIN STANDARD 800 NTU Revision Date 12-Nov-2019 Page 12 / 16

#### Ecotoxicity

Unknown aquatic toxicity

0.0003% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

#### **Product Ecological Data**

Aquatic Acute Toxicity No data available.

Aquatic Chronic Toxicity No data available.

#### **Ingredient Ecological Data**

#### Aquatic Acute Toxicity No data available.

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate (<1%) CAS#: 7757-82-6	96 hours	None reported	LC50	56 mg/L	IUCLID (The International Uniform Chemical Information Database)
Diammonium sulfate (<1%) CAS#: 7783-20-2	96 hours	Oncorhynchus mykiss	LC <sub>50</sub>	36.7 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Formaldehyde (<0.1%) CAS#: 50-00-0	96 hours	Morone saxatilis	LC <sub>50</sub>	6.7 mg/L	PEEN (Pan European Ecological Network)
Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate (<1%) CAS#: 7757-82-6	48 Hours	Daphnia magna	EC <sub>50</sub>	3150 mg/L	IUCLID (The International Uniform Chemical Information Database)
Diammonium sulfate (<1%) CAS#: 7783-20-2	48 Hours	None reported	LC <sub>50</sub>	14 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Formaldehyde (<0.1%) CAS#: 50-00-0	48 Hours	Daphnia pulex	EC <sub>50</sub>	5.8 mg/L	PEEN (Pan European Ecological Network)

Aquatic Chronic Toxicity No data available.

Persistence and degradability

**Product Biodegradability Data** No data available.

**Bioaccumulation** 

**Product Bioaccumulation Data** No data available.

Partition Coefficient (n-octanol/water)

Not applicable

Mobility

EN / AGHS

Product Name STABLCAL® FORMAZIN STANDARD 800 NTU Revision Date 12-Nov-2019 Page 13 / 16

#### Soil Organic Carbon-Water Partition Coefficient

Not applicable

#### Other adverse effects

Contains a substance with an endocrine-disrupting potential.

# **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Waste from residues/unused	Dispose of in accordance with local regulations. Dispose of waste in accordance with
products	environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

U122

US EPA Waste Number

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde	U122	Included in waste	-	U122
50-00-0		streams: K009, K010,		
		K038, K040, K156, K157		

14. TRANSPORT INFORMATION				
DOT Special Provisions	Not regulated			
TDG	Not regulated			
IATA	Not regulated			
IMDG_	Not regulated			
Note:	No special precautions necessary.			

#### Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

#### **15. REGULATORY INFORMATION**

National Inventories	
TSCA	Complies
DSL/NDSL	Complies

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories	
EINECS/ELINCS	Complies
ENCS	Does not comply
IECSC	Complies

Issue Date 12-Nov-2019 Version 2.7

KECL	Complies
PICCS	Does not comply
TCSI	Complies
AICS	Complies
NZIOC	Complies

Product Name STABLCAL® FORMAZIN STANDARD 800 NTU Revision Date 12-Nov-2019 Page 14 / 16

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

#### **US Federal Regulations**

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Diammonium sulfate (CAS #: 7783-20-2)	1.0
Formaldehyde (CAS #: 50-00-0)	0.1
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde	100 lb	-	-	Х
50-00-0				

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)	
Formaldehyde	100 lb	100 lb	RQ 100 lb final RQ	
50-00-0			RQ 45.4 kg final RQ	

#### U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical name	U.S Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Formaldehyde (<0.1%)	Release - Toxic (solution)
CAS#: 50-00-0	

#### US State Regulations

#### California Proposition 65

Product NameSTABLCAL® FORMAZIN STANDARD 800NTURevision Date12-Nov-2019Page15 / 16

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Formaldehyde (CAS #: 50-00-0)	Carcinogen

**WARNING:** This product can expose you to chemicals including Formaldehyde, which is known to the State of California to cause cancer.

For more information, go to <u>http://www.P65Warnings.ca.gov</u>

#### U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

New Jersey	Massachusetts	Pennsylvania
Х	-	-
-	Х	Х
-	Х	Х
Х	Х	Х

#### U.S. EPA Label Information

Chemical name	FIFRA	FDA
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	180.0910	-
Sodium sulfate	-	21 CFR 186.1797
Diammonium sulfate	180.0910	21 CFR 184.1143

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

#### Additional information

#### Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thersholds
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane 100-97-0	Declarable Substance (Fi)	0.1 %
Formaldehyde	Declarable Substance (LR)	0 %
50-00-0	Prohibited Substance (LR)	0.1 %
	Declarable Substance (Fi)	
	Prohibited Substance (Fi)	

#### NFPA and HMIS Classifications

NFPA	Health hazards - 2	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 2 - *	Flammability - 0	Physical hazards - 0	Personal protection - X

Product Code(s)	2660501
-----------------	---------

#### Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH ACGIH NDF		Immediately Dangerous ACGIH (American Conf no data	ental Industrial Hygienists)	
Legend - Sectio	n 8: EXPOSURE C	ONTROLS/PERSONAL P	ROTECTION	
TWA	TWA (time-weight	ed average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowat	ble Concentration	Ceiling	Ceiling Limit Value
Х	Listed		Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN* RSP+ C M	Skin designation Respiratory sensit Carcinogen mutagen	tization	SKN+ ** R	Skin sensitization Hazard Designation Reproductive toxicant
Prepared By		Hach Product Complian	ce Department	
Issue Date		12-Nov-2019		
<b>Revision Date</b>		12-Nov-2019		
<b>Revision Note</b>		None		

#### **Disclaimer**

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2019

End of Safety Data Sheet