# SAFETY DATA SHEET

12-May-2017

# 1. IDENTIFICATION

Product identifier

Product Name Pool Time® Shock MAXBlue®

Other means of identification

Product Code 13110PTM UN/ID no. UN1759

Recommended use of the chemical and restrictions on use
Recommended Use Swimming Pool Product.
Uses advised against Do not mix with other chemicals

Details of the supplier of the safety data sheet

**Supplier Address** 

Recreational Water Products, Inc.

PO Box 1449

Buford, GA 30515-1449 Telephone: (800) 252-7665

Emergency telephone number

Emergency Telephone Chemtrec (Transportation) 1-800-424-9300, 703-527-3887

Poison Control Center (Medical): (877) 800-5553

# 2. HAZARDS IDENTIFICATION

### Classification

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4
Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1
Reproductive toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3

### Label elements

### **Emergency Overview**

### Danger

### Hazard statements

Causes severe skin burns and eye damage Suspected of damaging fertility or the unborn child May cause respiratory irritation Harmful if swallowed Harmful in contact with skin

·



Color Blue green, blue Physical state Solid Odor Chlorine

### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician Call a POISON CENTER or doctor/physician if you feel unwell

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

Call a POISON CENTER or doctor/physician if you feel unwell

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Do NOT induce vomiting

### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

1% of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Mixture

Chemical Name	CAS No.	Weight-%
Sodium Dichloro-S-Triazinetrione	2893-78-9	63.05
Boron sodium oxide (B4Na2O7), pentahydrate	12179-04-3	3-5
aluminium sulfate	10043-01-3	3-5

	4.	FIRST	Al	D	<b>MEASURES</b>
--	----	-------	----	---	-----------------

Revision Date 12-May-2017

#### **Description of first aid measures**

General advice If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do

not get in eyes, on skin, or on clothing.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Call a

physician.

**Skin contact**Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Wash contaminated clothing before reuse. If skin irritation persists, call

a physician.

**Inhalation** Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration.

Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Artificial respiration and/or oxygen may be necessary. If symptoms persist, call a physician.

**Ingestion** Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Call a physician immediately.

**Self-protection of the first aider**Use personal protective equipment as required.

#### Most important symptoms and effects, both acute and delayed

Symptoms No information available.

### Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically. Probable mucosal damage may contraindicate the use of gastric

lavage.

### 5. FIRE-FIGHTING MEASURES

### Suitable extinguishing media

Flood fire area with water from a distance.

**Unsuitable extinguishing media** Do not use dry chemicals, carbon dioxide, or halogenated extinguishing agents.

### Specific hazards arising from the chemical

Do not let the fire burn. Thermal decomposition can lead to release of toxic/corrosive gases and vapors. Wet material may generate nitrogen trichloride, an explosion hazard.

### **Explosion data**

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

In the event of fire, wear self-contained breathing apparatus. In the event of fire and/or explosion do not breathe fumes.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

people away from and upwind of spill/leak.

Environmental precautions

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional ecological information.

#### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so. Do not add water to spilled material.

Using clean dedicated equipment, sweep and scoop all spilled material, contaminated soil, and other contaminated material and place into clean dry containers for disposal. Do not close containers containing wet or damp material. They should be left open to disperse any

hazardous gases that may form.

Methods for cleaning up

Use personal protective equipment as required. Cover powder spill with plastic sheet or tarp

to minimize spreading and keep powder dry. Take up mechanically, placing in appropriate containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly. Pick up and transfer to properly labeled containers. Sweep up and shovel into suitable containers for disposal. After cleaning, flush away traces with water. Do not use floor sweeping compounds to clean up spills. Do not transport wet or damp material. Contact supplier in Section 1 for instructions, especially for damp or contaminated material.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Use with local exhaust ventilation. Wash thoroughly after handling. Use only in well-ventilated areas. Do not mix with other

chemicals.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep containers tightly closed in a cool, well-ventilated place. Keep in properly

labeled containers. Protect from moisture.

Incompatible materials Incompatible with strong acids and bases. Ammonia. Calcium hypochlorite. Combustible

material. Do not mix with other swimming pool/spa chemicals in their concentrated forms.

Reducing agent.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Boron sodium oxide (B4Na2O7),	STEL: 6 mg/m³ inhalable fraction	(vacated) TWA: 10 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
pentahydrate 12179-04-3	TWA: 2 mg/m³ inhalable fraction		
aluminium sulfate 10043-01-3	-	(vacated) TWA: 2 mg/m³ Al Aluminum	TWA: 2 mg/m³ Al

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear protective gloves and protective clothing.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

Decomposes on heating

g/cm3

provided in accordance with current local regulations.

General Hygiene Considerations When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Regular

cleaning of equipment, work area and clothing is recommended.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical stateSolidAppearancegranulesOdorChlorine

Color Blue green, blue Odor threshold No information available

PropertyValuesRemarks • MethodpH4.6-4.8in 1% Solution

No information available

Melting point/freezing point

Boiling point / boiling range
Flash point

Evaporation rate

272 °C / 522 °F

No information available

No information available

No information available

Flammability (solid, gas) Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density
Specific Gravity

No information available
No information available
No information available
No information available

Water solubility Soluble in water

Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
No information available

**Density** 1.02-1.04

Bulk densityNo information availableExplosive propertiesNo information availableOxidizing propertiesNo information available

**Other Information** 

Softening pointNo information availableMolecular weightNo information availableVOC Content (%)No information available

### 10. STABILITY AND REACTIVITY

### Reactivity

Stable under normal conditions

**Chemical stability** 

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### Conditions to avoid

Extremes of temperature and direct sunlight. Protect from moisture. Do not mix with other chemicals.

#### Incompatible materials

Incompatible with strong acids and bases. Ammonia. Calcium hypochlorite. Combustible material. Do not mix with other swimming pool/spa chemicals in their concentrated forms. Reducing agent.

#### **Hazardous Decomposition Products**

Chlorine gas.

### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

**Inhalation** Irritating to respiratory system.

**Eye contact** Severely irritating to eyes. Risk of serious damage to eyes. Causes burns.

**Skin contact** Irritating to skin. Contact with moist skin may cause skin burns. Harmful in contact with skin.

**Ingestion** Harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Dichloro-S-Triazinetrione 2893-78-9	= 735 mg/kg (Rat)	> 2000 mg/kg ( Rabbit )	0.27 - 1.17 mg/L (Rat, dust) 4 h
Boron sodium oxide (B4Na2O7), pentahydrate 12179-04-3	= 2403 mg/kg ( Rat )	-	-
aluminium sulfate 10043-01-3	= 1930 mg/kg (Rat)	-	-

### Information on toxicological effects

**Symptoms** No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.CarcinogenicityNo information available.

Reproductive toxicity

This product contains a boron compound. This boron compound when fed to test animals

at very high doses has shown reproductive and developmental toxicity. When this product is used according to label directions, the boron compound in this product does not

s used according to laber directions, the boron compound in this product does not

represent a practical risk to humans.

STOT - single exposure
STOT - repeated exposure
Chronic toxicity
Target Organ Effects

Aspiration hazard

No information available.
No information available.
Eyes, Respiratory system, Skin.
No information available.

### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

 Oral LD50
 581 mg/kg (rat)

 Dermal LD50
 > 2000 mg/kg

### 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

Very toxic to aquatic life with long lasting effects

4.83% of the mixture consists of components(s) of unknown hazards to the aquatic environment

1100 / 0 of the minitare consists of compensation of a minitary mazaras to the aquate of minimum				
Chemical Name	Algae/aquatic plants	Fish	Crustacea	

Sodium Dichloro-S-Triazinetrione	- 0.25 - 1: 96 h Lepomis macrochirus 0.00018 - 0.00021: 48 h Daphnia
2893-78-9	mg/L LC50 static 0.207 - 0.389: 96 magna mg/L EC50 0.093 - 0.16: 4
	h Lepomis macrochirus mg/L LC50 h Daphnia magna mg/L EC50
	flow-through 0.176 - 0.267: 96 h
	Oncorhynchus mykiss mg/L LC50
	flow-through 0.29: 96 h
	Oncorhynchus mykiss mg/L LC50
	0.13 - 0.36: 96 h Oncorhynchus
	mykiss mg/L LC50 static
aluminium sulfate	- 100: 96 h Carassius auratus mg/L 136: 15 min Daphnia magna mg/
10043-01-3	LC50 37: 96 h Gambusia affinis EC50
	mg/L LC50 static

### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

#### **Mobility**

No information available.

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container. Refer to all federal, state and local regulations prior to disposal of

container and unused contents by reuse, recycle or disposal.

### 14. TRANSPORT INFORMATION

Note: Limited quantity (LQ) exception is possible

DOT

**UN/ID no.** UN1759

**Proper shipping name**Corrosive solids, n.o.s. (Sodium dichloro-s-triazinetrione, Copper Compounds)

Hazard Class 8
Packing Group

**Description** UN1759, Corrosive solids, n.o.s. (Sodium dichloro-s-triazinetrione, Copper Compounds), 8,

Ш

**Emergency Response Guide** 

Number

154

**IATA** 

UN/ID no. UN1759

Proper shipping name Corrosive solid, n.o.s. (Sodium dichloro-s-triazinetrione, Copper Compounds)

Hazard Class 8
Subsidiary hazard class III

**Description** UN1759, Corrosive solid, n.o.s. (Sodium dichloro-s-triazinetrione, Copper Compounds), 8,

Ш

**IMDG** 

**UN/ID no.** UN1759

Proper shipping name Corrosive solid, n.o.s. (Sodium dichloro-s-triazinetrione, Copper Compounds)

Hazard Class 8
Packing Group III
EmS-No. F-A, S-B

**Description** UN1759, Corrosive solid, n.o.s. (Sodium dichloro-s-triazinetrione, Copper Compounds), 8,

Ш

Marine pollutant This material meets the definition of a marine pollutant

# 15. REGULATORY INFORMATION

**International Inventories** 

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### SARA 311/312 Hazard Categories

Acute health hazardYesChronic Health HazardNoFire hazardNoSudden release of pressure hazardNoReactive HazardNo

### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
aluminium sulfate	5000 lb	-	-	X
10043-01-3				

# **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
aluminium sulfate	5000 lb	-	RQ 5000 lb final RQ
10043-01-3			RQ 2270 kg final RQ

### **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium Dichloro-S-Triazinetrione 2893-78-9	Х	-	Х
Boron sodium oxide (B4Na2O7), pentahydrate 12179-04-3	-	X	-
aluminium sulfate	X	X	X

10043-01-3		

#### U.S. EPA Label Information

**EPA Pesticide Registration Number** 67262-35

#### **EPA Statement**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

#### Difference between SDS and EPA Pesticide label

DANGER: Corrosive: Causes skin burns. May be fatal if inhaled or swallowed. Causes irreversible eye damage. Harmful if absorbed through skin. Do not breathe dust or fumes. Irritating to nose and throat. Do not get in eyes, on skin or on clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear safety glasses or goggles and use rubber gloves. For additional protection of skin, wear long sleeves and long pants. Wash thoroughly with soap and water after handling product and before eating, drinking or using tobacco. Remove contaminated clothing and wash clothing before reuse.

### 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 3 Flammability 0 Instability 1 Physical and Chemical

Properties Class 1

Oxidizer

Health hazards 3 Flammability 0 Physical hazards 1 Personal protection X

Prepared By Regulatory Affairs Revision Date Regulatory Affairs 12-May-2017

Revision Note No information available

**Disclaimer** 

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**