

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Nitrate LR TNT Reagent A
Catalog Number: TNT835A

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M01920
Chemical Name: Not applicable
CAS Number: Not applicable
Additional CAS No. (for hydrated forms): Not applicable
Chemical Formula: Not applicable
Chemical Family: Not applicable
Intended Use: Determination of nitrate

2. HAZARDS IDENTIFICATION

GHS Classification:

Hazard categories: Flammable Liquids: Flam. Liq. 3 Serious Eye Damage/Eye Irritation: Eye Irrit. 2 Specific Target Organ Toxicity - Single Exposure: STOT SE 3

GHS Label Elements:

WARNING



Hazard statements: Flammable liquid and vapour. Causes serious eye irritation. May cause drowsiness or dizziness.

Precautionary statements: Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Wear protective gloves / protective clothing / eye protection / face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

HMIS:

Health: 2

Flammability: 2

Reactivity: 0

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 2

Flammability: 2

Reactivity: 0

Symbol: Not applicable

WHMIS Hazard Classification: Class B, Division 3 - Combustible liquids Class D, Division 2, Subdivision B - Toxic material (other toxic effects)

WHMIS Symbols: Flammable / Combustible Other Toxic Effects

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components according to GHS:

Isopropanol

CAS Number: 67-63-0
Chemical Formula: C₃H₈O
GHS Classification:
Percent Range (Trade Secret): 15.0 - 25.0
Percent Range Units: weight / weight
PEL: 400 ppm (980 mg/m³)
TLV: 200 ppm (492 mg/m³)

WHMIS Symbols: Flammable / Combustible Other Toxic Effects

Isoamyl acetate

CAS Number: 123-92-2
Chemical Formula: C₇H₁₄O₂
GHS Classification: Flam. Liq. 3, H226; Skin Irrit. 3, H316; Eye Irrit. 2B, H320; STOT Single 3, H335; Aq. Acute 3, H402
Percent Range (Trade Secret): < 1.0
Percent Range Units: weight / weight
PEL: OSHA 8 hr TWA: 100 ppm
TLV: ACGIH TWA: 50 ppm; STEL: 100 ppm

WHMIS Symbols: Flammable / Combustible

2,6-Dimethylphenol

CAS Number: 576-26-1
Chemical Formula: C₈H₁₀O
GHS Classification: Acute Tox. 3-Derm, H311; Acute Tox. 3-Oral, H301; Skin Corr. 1B, H314; Aquatic Chronic 2, H411
Percent Range (Trade Secret): < 0.1
Percent Range Units: weight / weight
PEL: Not established
TLV: Not established

WHMIS Symbols: Acute Poison Corrosive

Hazardous Components according to GHS: No

Demineralized Water

CAS Number: 7732-18-5
Chemical Formula: H₂O
GHS Classification: Not a dangerous substance according to GHS.
Percent Range (Trade Secret): 75.0 - 85.0
Percent Range Units: weight / weight
PEL: Not established
TLV: Not established

WHMIS Symbols: Not applicable

Other components, each

CAS Number: Not applicable
Chemical Formula: Not applicable.
GHS Classification: Not applicable
Percent Range (Trade Secret): < 1.0
Percent Range Units: weight / weight
PEL: Not established
TLV: Not established

WHMIS Symbols: Not applicable

4. FIRST AID MEASURES

General Information: In the event of exposure, show this Material Safety Data Sheet and label (where possible) to a doctor.

Advice to doctor: Treat symptomatically.

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Wash skin with plenty of water. Call physician if irritation develops. Remove contaminated clothing.

Inhalation: Remove to fresh air. Give artificial respiration if necessary. Call physician.

Ingestion (First Aid): Give large quantities of water. Call physician immediately. Never give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

Flammable Properties: Combustible Liquid Can burn in fire, releasing toxic vapors.

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

Extinguishing Media: Water.

Extinguishing Media NOT To Be Used: Not applicable

Fire / Explosion Hazards: May react violently with: oxidizers Combustible liquid May ignite on contact with: heat sparks, flame, or other ignition sources

Hazardous Combustion Products: carbon monoxide, carbon dioxide.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Containment Technique: Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment.

Clean-up Technique: If permitted by regulation, Absorb spilled liquid with non-reactive sorbent material. Incinerate material at a government approved hazardous waste facility. Decontaminate the area of the spill with a soap solution. Otherwise, Dispose of in accordance with local, state and federal regulations or laws.

Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: a gallon or more of liquid is spilled. If conditions warrant, increase the size of the evacuation.

DOT Emergency Response Guide Number: Not applicable

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin Do not breathe mist or vapors. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Protect from: heat Keep away from: sparks, flames and other ignition sources

Flammability Class: Class II

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: chemical splash goggles

Skin Protection: disposable latex gloves In the EU, the selected gloves must satisfy the specifications of EU Directive 89/686/EEC and standard EN 374 derived from it.

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin Wash thoroughly after handling. Protect from: heat Keep away from: sparks, flames and other ignition sources

TLV: Not established

PEL: Not established

For Occupational Exposure Limits (OEL) for ingredients, see section 3 - Composition/Information on Ingredients.:

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, colorless liquid

Physical State: Liquid

Molecular Weight: Not applicable

Odor: Alcoholic

Odor Threshold: Not determined

pH: 5.5

Metal Corrosivity:

Corrosivity Classification: Not classified as corrosive to metals according to GHS criteria.

Steel: Not determined

Aluminum: Not determined

Specific Gravity/ Relative Density (water = 1; air = 1): 0.95

Viscosity: Not determined

Solubility:

Water: Miscible

Acid: Not determined

Other: Not determined

Partition Coefficient (n-octanol / water): Not applicable

Coefficient of Water / Oil: Not applicable

Melting Point: Not determined

Decomposition Temperature: Not determined

Boiling Point: 82° C 180° F

Vapor Pressure: Not determined

Vapor Density (air = 1): Not determined

Evaporation Rate (water = 1): Not determined

Volatile Organic Compounds Content: Not determined

Flammable Properties: Combustible Liquid Can burn in fire, releasing toxic vapors.

Flash Point: 26° C 79° F

Method: Closed cup

Flammability Limits:

Lower Explosion Limits: Not determined

Upper Explosion Limits: Not determined

Autoignition Temperature: Not determined

Explosive Properties:

Not classified according to GHS criteria.

Oxidizing Properties:

Not classified according to GHS criteria.

Reactivity Properties:

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.

Gas under Pressure:

Not classified according to GHS criteria.

Not determined

10. STABILITY AND REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Mechanical Impact: None reported

Static Discharge: Not applicable

Reactivity/ Incompatibility: Incompatible with: strong acids oxidizers

Hazardous Decomposition: Heating to decomposition releases: carbon monoxide carbon dioxide

Conditions to Avoid: Extreme temperatures Evaporation Contact with heat, sparks, open flames or other ignition sources. Exposure to air.

11. TOXICOLOGICAL INFORMATION

Toxicokinetics, Metabolism and Distribution: No information available for mixture.

Toxicologically Synergistic Products: None reported

Acute Toxicity: Acute Toxicity Estimate (ATE) - Calculated from Ingredient Toxicity Data

ATE Oral Rat LD50 = 16066 mg/kg

ATE Dermal Rat LD50 = 44235 mg/kg

ATE Inhalation LC50 = 226.7 mg/l

Specific Target Organ Toxicity - Single Exposure (STOT-SE): Based on classification principles, the classification criteria are not met. Respiratory Tract Central nervous system Kidneys

Specific Target Organ Toxicity - Repeat Exposure (STOT-RE): Based on classification principles, the classification criteria are not met.

Skin Corrosion/Irritation: Based on classification principles, the classification criteria are not met.

Eye Damage: Irritating to eyes.

Sensitization: Based on classification principles, the classification criteria are not met.

CMR Effects/Properties (carcinogenic, mutagenic or toxic to reproduction): No germ cell mutagenicity, carcinogenicity or reproductive toxicity data found.

This product does NOT contain any IARC listed chemicals.

This product does NOT contain any NTP listed chemicals.

This product does NOT contain any OSHA listed carcinogens.

Symptoms/Effects:

Ingestion: May cause: irritation of the mouth and esophagus Very large doses may cause: drunkenness nausea vomiting blood pressure problems rapid pulse and respirations

Inhalation: May cause: irritation of nose and throat

Skin Absorption: None Reported

Chronic Effects: None reported

Medical Conditions Aggravated: Pre-existing: Eye conditions Impaired pulmonary function such as obstructive airway diseases.

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product. Mobility in soil: No data available

Ingredient Ecological Information: Isopropanol: LD50 goldfish 5,000 mg/L/24 hr, LC50 brown shrimp 1,400 mg/L/48 hr, LC50 brown shrimp 1150 mg/L/96 hr, LC50 fathead minnows 11,160 mg/L/24 hr, cell multiplication test *Microcystis aeruginosa* (algae) 1,000 mg/L

No ecological data available for the ingredients of this product.

CEPA Statement: 2-Propanol: Persistent, not bioaccumulative or inherently toxic to aquatic organisms.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: D001

Special Instructions (Disposal): Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an acid, such as sulfuric or citric. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system.

Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Alcohol, N.O.S.

(Isopropanol Solution)

Hazard Class: 3

Subsidiary Risk: NA

ID Number: UN1987

Packing Group: III

T.D.G.:

Proper Shipping Name: Alcohol, N.O.S.

(Isopropanol Solution)

Hazard Class: 3

Subsidiary Risk: NA

UN Number/PIN: 1987

Packing Group: III

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Alcohols, N.O.S.

(Isopropanol Solution)

Hazard Class: 3

Subsidiary Risk: NA

ID Number: UN1987

Packing Group: III

I.M.O.:

Proper Shipping Name: Alcohol, N.O.S.

(Isopropanol Solution)

Hazard Class: 3

Subsidiary Risk: NA

ID Number: UN1987

Packing Group: III

Marine Pollutant: No

Additional Information: There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is NOT in a set or kit, the classification given above applies. If the item IS part of a set or kit, the classification would change to the following: UN3316 Chemical Kit, Class 9, PG II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard Fire Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Not applicable

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Not applicable

RCRA: Contains RCRA regulated substances. See Section 13, EPA Waste ID Number.

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): None

California Perchlorate Rule CCR Title 22 Chap 33: Not applicable

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

CAS Number: Not applicable

Canadian Inventory Status: All ingredients of this product are DSL Listed.

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

Australian Inventory (AICS) Status: All ingredients are listed.

New Zealand Inventory (NZIoC) Status: All components either listed or exempt.

Korean Inventory (KECI) Status: All components of this product are either listed, listed as the anhydrous compound or exempt.

Japan (ENCs) Inventory Status: All components either listed or exempt.

China (PRC) Inventory (MEP) Status: All components either listed or exempt.

16. OTHER INFORMATION

References: Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983.
In-house information. Technical Judgment. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. Outside Testing.

Complete Text of H phrases referred to in Section 3: H226 Flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

Revision Summary: Substantial revision to comply with EU Reg 1272/2008, Reg 1907/2006 and UN GHS (ST/SG/AC.10/36/Add.3).

Date of MSDS Preparation:

Day: 03

Month: August

Year: 2014

MSDS Prepared: MSDS prepared by Product Compliance Department extension 3350

CCOHS Evaluation Note: It is offered under exemption from WHMIS labeling as specified in the Controlled Products Regulation (CPR) Section 17. It is offered under the interim policy that was established by Health Canada permitting use of GHS-formatted safety data sheets in Canada prior to revision of CPR to GHS. This product has been classified and labeled in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3). This SDS has been prepared in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3).

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2016