

G-Force Washroom Cleaner

| HMIS NFPA Personal protective equipment Health 2 2 Flammability 0 0 Physical Hazard / Instability 0 0 Version Number: 1 Preparation date Preparation date MEDDUCT AND COMPANY IDENTIFICATION Product name: G-Force Washroom Cleaner MSDS #: MS0400020 Product Code: 5369245 Recommended use: • Restroom Care • Acid Cleaner • Acid Cleaner • This product is intended to be diluted prior to use Diversey, Inc. • Canada Biversey, Inc. 2401 Bristol Circle 8310 16th St. Oakville, Ontario L6H 6P1 Sturtevant, Wisconsin 53177-1964 Phone: 1-880-668-3131 Phone: 1-883-552-2249 MSDS Internet Address: www.diversey.com Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l) | e: 2006-02-20 | | | | |
|--|---|--|--|--|--|
| Flammability 0 0 Physical Hazard / Instability 0 0 Version Number: 1 Preparation date Preparation date Image: Product name: G-Force Washroom Cleaner MSDS #: MS0400020 Product Code: S369245 Recommended use: · Restroom Care · Acid Cleaner · Acid Cleaner · This product is intended to be diluted prior to use Diversey, Inc Canada Bitors for the St. Canadian Headquarters Diversey, Inc. 2401 Bristol Circle Sturtevant, Wisconsin 53177-1964 Phone: 1-800-668-3131 Phone: 1-888-352-2249 MsoB St. MSDS Internet Address: www.diversey.com Emergency telephone number: I-800-851-7145 (U.S.); 1-651-917-6133 (Int'I) Int'I) | e: 2006-02-20 | | | | |
| Physical Hazard / Instability 0 0 Version Number: 1 Preparation date Image: Product name: G-Force Washroom Cleaner Product Code: State MSDS #: MS0400020 5369245 • Restroom Care • Acid Cleaner Product Code: • Restroom Care • Acid Cleaner • This product is intended to be diluted prior to use Manufacturer, importer, supplier: Canadian Headquarters Diversey, Inc Canada Diversey, Inc. 2401 Bristol Circle 3101 16th St. Sturtevant, Wisconsin 53177-1964 Phone: 1-888-352-2249 Phone: 1-800-668-3131 MSDS Internet Address: www.diversey.com I-800-851-7145 (U.S.); 1-651-917-6133 (Int'I) | e: 2006-02-20 | | | | |
| Version Number: 1 Preparation date I. PRODUCT AND COMPANY IDENTIFICATION Product name: G-Force Washroom Cleaner MSDS #: MS0400020 Product Code: 5369245 Recommended use: • Restroom Care • Acid Cleaner • Acid Cleaner • This product is intended to be diluted prior to use • This product is intended to be diluted prior to use Manufacturer, importer, supplier: Canadian Headquarters Diversey, Inc. 2401 Bristol Circle 8310 16th St. Oakville, Ontario L6H 6P1 Sturtevant, Wisconsin 53177-1964 Phone: 1-800-668-3131 Phone: 1-888-352-2249 MSDS Internet Address: www.diversey.com Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'I) | e: 2006-02-20 | | | | |
| 1. PRODUCT AND COMPANY IDENTIFICATION Product name: G-Force Washroom Cleaner MSDS #: MS0400020 Product Code: 5369245 Recommended use: · Restroom Care · Acid Cleaner · This product is intended to be diluted prior to use Manufacturer, importer, supplier: Canadian Headquarters Diversey, Inc. Canadia Headquarters Diversey, Inc. Canadia Sturtevant, Wisconsin 53177-1964 Phone: 1-800-668-3131 Phone: 1-888-352-2249 Phone: 1-800-668-3131 MSDS Internet Address: www.diversey.com Emergency telephone number: Internet Address: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'I) | e: 2006-02-20 | | | | |
| Product name: G-Force Washroom Cleaner MSDS #: MS0400020 Product Code: 5369245 Recommended use: • Restroom Care • Acid Cleaner • Acid Cleaner • This product is intended to be diluted prior to use Manufacturer, importer, supplier: Canadian Headquarters US Headquarters Diversey, Inc Canada Diversey, Inc. 2401 Bristol Circle 8310 16th St. Oakville, Ontario L6H 6P1 Sturtevant, Wisconsin 53177-1964 Phone: 1-888-352-2249 MSDS Internet Address: www.diversey.com Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'I) | | | | | |
| Product name: G-Force Washroom Cleaner MSDS #: MS0400020 Product Code: 5369245 Recommended use: • Restroom Care • Acid Cleaner • Acid Cleaner • This product is intended to be diluted prior to use Manufacturer, importer, supplier: Canadian Headquarters US Headquarters Diversey, Inc Canada Diversey, Inc. 2401 Bristol Circle 8310 16th St. Oakville, Ontario L6H 6P1 Sturtevant, Wisconsin 53177-1964 Phone: 1-888-352-2249 MSDS Internet Address: www.diversey.com Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'I) | | | | | |
| MSDS #: MS0400020 Product Code: 5369245 Recommended use: • Restroom Care • Acid Cleaner • This product is intended to be diluted prior to use Manufacturer, importer, supplier: Canadian Headquarters US Headquarters Diversey, Inc Canada Diversey, Inc. 2401 Bristol Circle 8310 16th St. Oakville, Ontario L6H 6P1 Sturtevant, Wisconsin 53177-1964 Phone: 1-800-668-3131 Phone: 1-888-352-2249 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'I) | | | | | |
| Product Code: 5369245 Recommended use: • Restroom Care • Acid Cleaner • This product is intended to be diluted prior to use Manufacturer, importer, supplier: • Canadian Headquarters US Headquarters Diversey, Inc Canada Diversey, Inc. 2401 Bristol Circle 8310 16th St. Oakville, Ontario L6H 6P1 Sturtevant, Wisconsin 53177-1964 Phone: 1-800-668-3131 Phone: 1-888-352-2249 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'I) | | | | | |
| Product Code: 5369245 Recommended use: • Restroom Care • Acid Cleaner • This product is intended to be diluted prior to use Manufacturer, importer, supplier: • This product is intended to be diluted prior to use US Headquarters Diversey, Inc Canada Diversey, Inc. 2401 Bristol Circle 8310 16th St. Oakville, Ontario L6H 6P1 Sturtevant, Wisconsin 53177-1964 Phone: 1-800-668-3131 Phone: 1-888-352-2249 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'I) | | | | | |
| Acid Cleaner This product is intended to be diluted prior to use Manufacturer, importer, supplier: US Headquarters Diversey, Inc Canada Diversey, Inc Canada 2401 Bristol Circle 8310 16th St. Oakville, Ontario L6H 6P1 Sturtevant, Wisconsin 53177-1964 Phone: 1-888-352-2249 MSDS Internet Address: www.diversey.com Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l) | | | | | |
| This product is intended to be diluted prior to use Manufacturer, importer, supplier: US Headquarters Diversey, Inc Canada Diversey, Inc Canada Diversey, Inc Canada 2401 Bristol Circle 8310 16th St. Oakville, Ontario L6H 6P1 Sturtevant, Wisconsin 53177-1964 Phone: 1-888-352-2249 MSDS Internet Address: www.diversey.com Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'I) | | | | | |
| Manufacturer, importer, supplier: Canadian Headquarters US Headquarters Diversey, Inc Canada Diversey, Inc. 2401 Bristol Circle 8310 16th St. Oakville, Ontario L6H 6P1 Sturtevant, Wisconsin 53177-1964 Phone: 1-800-668-3131 Phone: 1-888-352-2249 MSDS Internet Address: www.diversey.com Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l) | | | | | |
| US Headquarters Diversey, Inc Čanada Diversey, Inc Čanada Diversey, Inc Čanada 2401 Bristol Circle 8310 16th St. Oakville, Ontario L6H 6P1 Sturtevant, Wisconsin 53177-1964 Phone: 1-800-668-3131 Phone: 1-888-352-2249 MSDS Internet Address: www.diversey.com Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'I) | | | | | |
| US Headquarters Diversey, Inc Čanada Diversey, Inc Čanada Diversey, Inc Čanada 2401 Bristol Circle 8310 16th St. Oakville, Ontario L6H 6P1 Sturtevant, Wisconsin 53177-1964 Phone: 1-800-668-3131 Phone: 1-888-352-2249 MSDS Internet Address: www.diversey.com Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'I) | | | | | |
| Diversey, Inc. 2401 Bristol Circle 8310 16th St. Oakville, Ontario L6H 6P1 Sturtevant, Wisconsin 53177-1964 Phone: 1-800-668-3131 Phone: 1-888-352-2249 MSDS Internet Address: www.diversey.com Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l) | | | | | |
| 8310 16th St. Oakville, Ontario L6H 6P1 Sturtevant, Wisconsin 53177-1964 Phone: 1-800-668-3131 Phone: 1-888-352-2249 MSDS Internet Address: www.diversey.com Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'I) | | | | | |
| Phone: 1-888-352-2249 MSDS Internet Address: www.diversey.com Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'I) | | | | | |
| MSDS Internet Address: www.diversey.com Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'I) | | | | | |
| Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'I) | | | | | |
| | | | | | |
| | | | | | |
| 2. HAZARDS IDENTIFICATION | | | | | |
| WARNING. CAUSES EYE AND SKIN IRRITATION. MAY BE HARMFUL IF SWALLOWED. Principal routes of exposure: Eye contact. Skin contact. Inhalation. Eye contact: Severe eye irritation. Skin contact: Moderately irritating to the skin. Inhalation: May be irritating to nose, throat, and respiratory tract. Ingestion: May be irritating to mouth, throat and stomach. | | | | | |
| | | | | | |
| 3. COMPOSITION/INFORMATION ON INGREDIENTS | | | | | |
| Ingredient(s) CAS # Weight % LD50 Oral - Rat LD50 Dermal - LC50 (mg/kg) Rabbit | Inhalation - Rat | | | | |
| Diethylene glycol butyl ether 112-34-5 10 - 20% 4500 =2700 mg/kg No | t available | | | | |
| 4. FIRST AID MEASURES | | | | | |
| | | | | | |
| Eye contact: Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. | Get medical | | | | |
| attention. | | | | | |
| Skin contact: Flush immediately with plenty of water. If irritation persists, get medical attention. | | | | | |
| Ingestion: THEN IMMEDIATELY CONTACT A PHYSICIAN OR POISON CENTER. DO NOT induce | Inhalation: If breathing is affected, remove to fresh air. Get medical attention. | | | | |
| unless directed to do so by medical personnel. Never give anything by mouth to an uncor | vomiting | | | | |
| | | | | | |
| person. If swallowed, give a cupful of water or milk. | | | | | |
| Aggravated Medical Conditions: person. If swallowed, give a cupful of water or milk. Persons with pre-existing skin disorders may be more susceptible to irritating effects. | | | | | |
| | | | | | |

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire. Extinguishing media which must not be used for safety reasons: No information available.

| Specific hazards: | |
|-------------------|--|
| Unusual hazards: | |

Not applicable. None known.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

| 6. ACCIDENTAL RELEASE MEASURES | | | |
|--------------------------------|---|--|--|
| Personal precautions: | Use personal protective equipment. | | |
| • | | | |
| Environmental precautions | Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in | | |
| and clean-up methods: | a chemical waste container. Use a water rinse for final clean-up. | | |

7. HANDLING AND STORAGE

Handling: Avoid contact with skin, eyes and clothing. Do not taste or swallow. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY. Storage: Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

No special ventilation requirements General room ventilation is adequate

| Personal Protective Equipment | |
|-------------------------------|--|
| Eye protection: | Chemical-splash goggles. |
| Hand protection: | Chemical-resistant gloves |
| Skin and body protection: | No special protective clothing is required. |
| Respiratory protection: | No special protective clothing is required. |
| Hygiene measures: | Handle in accordance with good industrial hygiene and safety practice. |

| Ingredient(s) | CAS # | ACGIH | OSHA | Mexico |
|-------------------------------|----------|--------------|------|--------|
| Diethylene glycol butyl ether | 112-34-5 | 10 ppm (TWA) | | |

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Appearance: Liquid Aqueous solution Specific gravity: 1.064 Vapor density: No information available Boiling point/range: Not determined Decomposition temperature: Not determined Solubility: Completely Soluble Solubility in other solvents: No information available Partition coefficient (n-octanol/water): No information available Elemental Phosphorus: 0.0 % by wt. pH: 3.72 Explosion limits: - upper: Not determined - lower: Not determined Bulk density: No information available Evaporation Rate: No information available Color: Clear, Green Odor: Glycol Ether Melting point/range: Not determined Autoignition temperature: No information available Density: 8.87 lbs/gal 1.064 Kg/L Flash point: > 200 °F > 93.3 °C Viscosity: No information available VOC: 0 % * Dilution pH: 3.31 @ 1:18

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Stability:TPolymerization:HHazardous decomposition products:N

The product is stable Hazardous polymerization does not occur. None reasonably foreseeable.

11. TOXICOLOGICAL INFORMATION

| Acute toxicity: Component Information: | Oral LD50 estimated to be 3000 - 4000 mg/kg. Dermal LD50 estimated to be > 2000 mg/kg. See Section 3. |
|--|---|
| Chronic toxicity: | None known |
| <u>Specific effects</u> Carcinogenic effects: Mutagenic effects: | • None known None known |

None known None known

12. ECOLOGICAL INFORMATION

Environmental Information:

No data available.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

Dispose of according to all federal, state and local applicable regulations.

14. TRANSPORT INFORMATION

DOT/TDG/IMDG: Please refer to the Diversey HazMat Library, only available through Internet Explorer, http://naextranet.diversey.com/dot/, for up to date shipping information.

DOT (Ground) Bill of Lading Description: CLEANING, WASHING, BUFFING, OR POLISHING COMPOUNDS LIQUID

IMDG (Ocean) Bill of Lading Description: Same as DOT above.

15. REGULATORY INFORMATION

International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65.

RIGHT TO KNOW (RTK)

| Ingredient(s) | CAS # | MARTK: | NJRTK: | PARTK: | RIRTK: |
|-----------------------------------|------------|--------|--------|--------|--------|
| Water | 7732-18-5 | - | - | - | - |
| Potassium alkyl benzene sulfonate | 85480-57-5 | - | - | - | - |
| Diethylene glycol butyl ether | 112-34-5 | - | Х | - | - |
| Ethoxylated alchohols | 68551-12-2 | - | - | - | - |
| Glycolic acid potassium salt | 1932-50-9 | - | - | - | - |
| Potassium Citrate | 866-84-2 | - | - | - | - |
| Dodecylbenzene sulfonic acid | 68584-22-5 | - | - | - | - |

CERCLA/ SARA

| Ingredient(s) | CAS # | Weight % | CERCLA/SARA RQ (lbs) | Section 302 TPQ (lbs) | Section 313 |
|-------------------------------|----------|----------|----------------------|-----------------------|-------------|
| Diethylene glycol butyl ether | 112-34-5 | 10 - 20% | | | Х |

| Ingredient(s) | CAA HAP | CAA ODS | CWA Priority Pollutants |
|-------------------------------|---------|---------|-------------------------|
| Diethylene glycol butyl ether | Х | | |

SARA 311/312 Hazard Categories

| Immediate: | х |
|-----------------------------|---|
| Delayed: | - |
| Fire: | - |
| Reactivity: | - |
| Sudden Release of Pressure: | - |
| anada | |

WHMIS hazard class: D2B Toxic materials.



C

| Ingredient(s) | CAS # | NPRI |
|-------------------------------|----------|------|
| Diethylene glycol butyl ether | 112-34-5 | Х |

16. OTHER INFORMATION

Not applicable

Reason for revision: Prepared by: Additional advice:

NAPRAC Does not contain an added fragrance. When used through dispensing/autodose equipment, this product meets Green Seal's requirements for skin and eye irritation and acute toxicity at the as-used dilution.

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.