

SAFETY DATA SHEET

Issue Date 06-Jul-2016 Revision Date 15-Nov-2016 Version 1 Page 1 / 21

1. IDENTIFICATION

Product identifier

Product Name STABLCAL® FORMAZIN STANDARD 20 NTU

Other means of identification

Product Code(s) 2660101CN

Safety data sheet number M03409

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory Use. Standard solution.

Uses advised against None. Restrictions on use None.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company P.O.Box 389 Loveland, CO 80539 USA (970) 669-3050

Emergency telephone number

(303) 623-5716 - 24 Hour Service (515)232-2533 - 8am - 4pm CST

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Respiratory sensitization	Category 1
Skin sensitization	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word - Danger



Product Name STABLCAL® FORMAZIN STANDARD 20 NTU

Revision Date 15-Nov-2016

Page 2/21

Hazard statements

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H317 - May cause an allergic skin reaction EUH208 - May produce an allergic reaction

Precautionary statements

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P284 - Wear respiratory protection

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves

P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

P501 - Dispose of contents/ container to an approved waste disposal plant

Other Information

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family

Mixture.

Percent ranges are used where confidential product information is applicable.

Chemical Name	CAS No	Percent Range	HMRIC #
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	100-97-0	5 - 10%	-
Sodium sulfate	7757-82-6	0.1 - 1%	-
Formaldehyde	50-00-0	<0.1%	-
Ammonium sulfate	7783-20-2	<0.01%	-

Product Name STABLCAL® FORMAZIN STANDARD 20 NTU

Revision Date 15-Nov-2016

Page 3/21

4. FIRST AID MEASURES

Description of first aid measures

General advice IF IN EYES: Flush eyes for at least 15 minutes. May cause allergic skin reaction. Repeated

contact may cause allergic reactions in very susceptible persons.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin contact For minor skin contact, avoid spreading material on unaffected skin. IF ON SKIN (or hair):

Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Remove and isolate contaminated clothing and shoes. Call a POISON CENTER or doctor if you feel unwell. If skin irritation persists, call a

physician. May cause an allergic skin reaction. Consult a physician if necessary.

Inhalation May cause allergic respiratory reaction. If experiencing respiratory symptoms: Call a

POISON CENTER or doctor/physician.

Ingestion IF SWALLOWED: Rinse Mouth. If symptoms persist, call a physician.

Self-protection of the first aiderUse personal protective equipment as required. Ensure that medical personnel are aware

of the material(s) involved and take precautions to protect themselves.

Most important symptoms and effects, both acute and delayed

Symptoms See Section 11: TOXICOLOGICAL INFORMATION.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Causes sensitization.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Small Fire Dry chemical or CO2.

Unsuitable extinguishing media No information available.

Flammable properties

During a fire, this product decomposes to form toxic gases.

Specific hazards arising from the chemical

May react violently with. Strong acids. Strong oxidizers. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes. May cause sensitization in susceptible persons.

Hazardous combustion products

This material will not burn.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice Only persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR

1910.120(a)(v)) and per your company's emergency response plan and

Product Name STABLCAL® FORMAZIN STANDARD 20 NTU

Revision Date 15-Nov-2016

Page 4/21

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations

should respond to a spill involving chemicals.

EC Notice Only persons properly qualified to respond to an emergency involving hazardous

substances should respond to a spill involving chemicals. See Section 13, Special

Instructions for disposal assistance.

WHMIS Notice Only persons properly qualified to respond to an emergency involving hazardous

substances should respond to a spill involving chemicals. See Section 13, Special

Instructions for disposal assistance.

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Do not touch or walk through spilled material. Ventilate

affected area. Use personal protective equipment as required.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

surface water or sanitary sewer system. See Section 12 for additional ecological

information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later

disposal.

Methods for cleaning up

Neutralize spill if necessary. Soak up with inert absorbent material. Take up mechanically,

placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

Dispose of in accordance with local, state and federal regulations or laws.

Emergency Response Guide Number Not applicable

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Do not breathe dust/fume/gas/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep container tightly closed. Keep containers tightly

closed in a cool, well-ventilated place.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Formaldehyde	Ceiling: 0.3 ppm	TWA: 0.75 ppm	IDLH: 20 ppm
<0.1%		(vacated) TWA: 3 ppm	Ceiling: 0.1 ppm 15 min
		(vacated) STEL: 10 ppm	TWA: 0.016 ppm
		(vacated) Ceiling: 5 ppm	

Product Name STABLCAL® FORMAZIN STANDARD 20 NTU

Revision Date 15-Nov-2016

Page 5/21

|--|

Chemical Name	Alberta OEL	British Columbia OEL	Manitoba OEL	New Brunswick OEL	New Foundland & Labrador OEL
Formaldehyde <0.1%	Ceiling: 1 ppm Ceiling: 1.3 mg/m ³ TWA: 0.75 ppm TWA: 0.9 mg/m ³	TWA: 0.3 ppm Ceiling: 1 ppm SKN+	Ceiling: 0.3 ppm	TWA: 0.5 ppm STEL: 1.5 ppm	RSP+ Ceiling: 0.3 ppm SKN+

Chemical Name	Northwest Territories OEL	Nova Scotia OEL	Nunavut OEL	Ontario TWA	Prince Edward Island OEL
1,3,5,7-Tetraazatricyclo[3. 3.1.1(3,7)]decane 5 - 10%	NDF	NDF	NDF	STEL: 0.35 ppm STEL: 2 mg/m ³	NDF
Formaldehyde <0.1%	Ceiling: 0.3 ppm SKN+	RSP+ Ceiling: 0.3 ppm SKN+	Ceiling: 0.3 ppm	STEL: 1 ppm Ceiling: 1.5 ppm	Ceiling: 0.3 ppm

Chemical Name	Quebec OEL	Saskatchewan OEL	Yukon OEL
Formaldehyde	Ceiling: 2 ppm	Ceiling: 0.3 ppm	Ceiling: 2 ppm
<0.1%	Ceiling: 3 mg/m ³	SKN+	Ceiling: 3 mg/m ³

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Legend See section 16 for terms and abbreviations

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection Wear tight sealing safety goggles and/or face protection shield. Avoid contact with eyes.

Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

General Hygiene Considerations Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Wear suitable gloves and eye/face protection. Wash face, hands and any exposed skin thoroughly after handling. Regular cleaning of equipment, work area and clothing is recommended. Handle in accordance with good industrial hygiene and safety practice. Avoid prolonged or repeated contact with skin. Take off all contaminated clothing and wash it before reuse. Do not eat, drink or smoke when using this product. Keep away from food,

drink and animal feeding stuffs.

Environmental exposure controls

Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Gas Under Pressure Not classified according to GHS criteria

Product Code(s) 2660101CN Issue Date 06-Jul-2016

Version 1

Odor

Product Name STABLCAL® FORMAZIN STANDARD 20 NTU

Revision Date 15-Nov-2016

Page 6/21

Appearance Turbid solution Color white

aqueous solution

Odorless

Odor threshold No data available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Molecular weight

No data available

pH

No data available

Melting point/freezing point $\sim 0 \, ^{\circ}\text{C} \, / \, 32 \, ^{\circ}\text{F}$ Estimation based on theoretical

calculation

Boiling point / boiling range ~ 100 °C / 212 °F Estimation based on theoretical

calculation

Evaporation rate 1 (water = 1) Estimation based on theoretical

calculation

Vapor pressure 17.477 mm Hg / 2.33 kPa at 20 °C / 68 °F Estimation based on theoretical

calculation

Vapor density (air = 1) 0.62 (air = 1)

Specific gravity (water = 1 / air = 1) 1.02

Partition Coefficient (n-octanol/water) Not applicable

Soil Organic Carbon-Water Partition

Coefficient

Not applicable

Autoignition temperatureNo data availableDecomposition temperatureNo data availableDynamic viscosityNo data available

Kinematic viscosity No data available

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature	
Soluble	> 1000 mg/L	25 °C / 77 °F	

Solubility in other solvents

Chemical Name	Solubility classification	<u>Solubility</u>	Solubility Temperature
None reported	No information available	No data available	No information available

Other Information

Metal Corrosivity

Not classified as corrosive to metal according to GHS criteria

Steel Corrosion Rate No data available

Aluminum Corrosion Rate No data available

Volatile Organic Compounds (VOC) Content No information available.

Product Name STABLCAL® FORMAZIN STANDARD 20 NTU

Revision Date 15-Nov-2016

Page 7/21

Bulk density Not applicable

Explosive properties Not classified according to GHS criteria.

Explosion data No data available

Upper explosion limit No data available

Lower explosion limit No data available

Flammable properties During a fire, this product decomposes to form toxic gases.

Flammability Limit in Air

Upper flammability limit: No data available

Lower flammability limit: No data available

Flash point No data available

Oxidizing properties Not classified according to GHS criteria.

Reactivity propeties Not classified as self-reactive, pyrophoric, self-heating or emitting

flammable gases in contact with water according to GHS criteria.

10. STABILITY AND REACTIVITY

Reactivity propeties

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria

Chemical stability

Stable under recommended storage conditions.

Special dangers of the product

No information available

Possibility of Hazardous Reactions

No information available.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid

Extremes of temperature and direct sunlight. Incompatible materials.

Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

Hazardous Decomposition Products

Ammonia. Carbon monoxide. Formaldehyde. Nitrogen oxides. Sodium oxides. Sulfur oxides.

Explosive properties

Not classified according to GHS criteria.

Product Name STABLCAL® FORMAZIN STANDARD 20 NTU

Revision Date 15-Nov-2016

Page 8/21

Upper explosion limit

No data available

Lower explosion limit

No data available

Autoignition temperature

No data available

Sensitivity to Static Discharge

None reported

Sensitivity to Mechanical Impact

None reported

11. TOXICOLOGICAL INFORMATION

NIOSH (RTECS) Number None reported

Information on Likely Routes of Exposure

Product Information	Respiratory sensitizer. Skin sensitizer.
Inhalation	May cause sensitization by inhalation.
Eye contact	No known effect based on information supplied.
Skin contact	May cause sensitization by skin contact.
Ingestion	No known effect based on information supplied.
Aggravated Medical Conditions	Respiratory disorders. Skin disorders.
Toxicologically synergistic products	None known.
Toxicokinetics, metabolism and distribution	See ingredients information below.

L	Chemical Name	Toxicokinetics, metabolism and distribution		
	Formaldehyde	Readily Absorbed via the respiratory and gastrointestinal routes. Absorbed formaldehyde can be oxidized to		
1	(<0.1%)	formate and carbon dioxide. Half-life of formaldehyde is 1 min in rat plasma.		
	CAS#: 50-00-0	·		

Product Acute Toxicity Data

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 7,101.00 mg/kg

Ingredient Acute Toxicity Data

Oral Exposure Route If available, see data below

Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
1,3,5,7-Tetraazatricyc	Rat	569 mg/kg	None	None reported	Vendor SDS
lo[3.3.1.1(3,7)]decan	LD50		reported		
е					
(5 - 10%)					
CAS#: 100-97-0					
Formaldehyde	Rat	100 mg/kg	None	None reported	No information available

Product Name STABLCAL® FORMAZIN STANDARD 20 NTU

Revision Date 15-Nov-2016

Page 9/21

(<0.1%) CAS#: 50-00-0	LD ₅₀		reported		
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	Rat LD ₅₀	2840 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	Mouse LD ₅₀	5989 mg/kg	None reported	None reported	IUCLID (The International Uniform Chemical Information Database)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human LDLo	70 mg/kg	None reported	Gastrointestinal Ulcerated stomach Liver Other changes Kidney, Ureter, or Bladder Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	Man TD∟₀	1500 mg/kg	None reported	Gastrointestinal Gas	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TD∟₀	643 mg/kg	None reported	Lungs, Thorax, or Respiration Respiratory obstruction Gastrointestinal Ulcerated stomach Nausea or vomiting	RTECS (Registry of Toxic Effects of Chemical Substances)
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	Domestic mammal - Not specified LDLo	3500 mg/kg	None reported	Lungs, Thorax, or Respiration Respiratory stimulation	RTECS (Registry of Toxic Effects of Chemical Substances)

Dermal Exposure Route

If available, see data below

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rabbit LD ₅₀	270 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

If available, see data below

	Chemical Name Endpoint Re		Reported	Exposure	Toxicological effects	Key literature references and
		type	dose	time		sources for data
Ī	Formaldehyde	Rat	250 mg/L	4 hours	None reported	RTECS (Registry of Toxic
-	(<0.1%)	(<0.1%) LC ₅₀				Effects of Chemical
	CAS#: 50-00-0					Substances)

Inhalation (Gas) Exposure Route

No data available

Product Skin Corrosion/Irritation Data

No data available.

Ingredient Skin Corrosion/Irritation Data

If available, see data below

Product Name STABLCAL® FORMAZIN STANDARD 20 NTU

Revision Date 15-Nov-2016

Page 10 / 21

Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	Organization for Economic Co-operation and Development (OECD) - Test 404: Acute Dermal Corrosion/Irritation	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS (Registry of Toxic Effects of Chemical Substances)
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	800 mg	20 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	Open Irritation Test	Guinea pig	100 mg	5 days	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Rabbit	2 mg	24 hours	Corrosive to skin	RTECS (Registry of Toxic Effects of Chemical Substances)

Product Serious Eye Damage/Eye Irritation Data

No data available.

Ingredient Eye Damage/Eye Irritation Data

If available, see data below

Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	Standard Draize Test	Rabbit	100 mg	None reported	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	90 mg	24 hours	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)
Formaldehyde (<0.1%) CAS#: 50-00-0	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances)
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	0.050 mL	None reported	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)
Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Rabbit	0.750 mg	24 hours	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances)

Sensitization Information

Product Name STABLCAL® FORMAZIN STANDARD 20 NTU

Revision Date 15-Nov-2016

Page 11 / 21

Product Sensitization Data

Skin Sensitization Exposure RouteNo data available.

Respiratory Sensitization Exposure Route No data available.

Ingredient Sensitization Data

Skin Sensitization Exposure Route If available, see data below.

Chemical Name	Test method	Species	Results	Key literature references and
				sources for data
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	OECD Test No. 406: Skin Sensitization	Guinea pig	Not confirmed to be a skin sensitizer	HSDB (Hazardous Substances Data Bank)
Formaldehyde (<0.1%) CAS#: 50-00-0	Patch test	Human	Confirmed to be a skin sensitizer	ERMA (New Zealands Environmental Risk Management Authority)

Respiratory Sensitization Exposure Route If available, see data below.

Respiratory Sensitization Exposure Route				ii available, see data below.			
Chemical Name Test method		Species	Results	Key literature references and			
					sources for data		
	1,3,5,7-Tetraazatricyc	Based on human	Human	Confirmed to be a respiratory	HSDB (Hazardous Substances Data		
	lo[3.3.1.1(3,7)]decan	experience		sensitizer	Bank)		
	е						
	(5 - 10%)						
	CAS#: 100-97-0						
	Formaldehyde	IgE Specific	Guinea pig	Confirmed to be a respiratory	CICAD (Concise International		
	(<0.1%)	Immune Response		sensitizer	Chemical Assessment Documents)		
	CAS#: 50-00-0	Test					

Chronic Toxicity Information

Product Repeat Dose Toxicity Data

Oral Exposure Route No data available.

Dermal Exposure RouteNo data available.

Inhalation (Dust/Mist) Exposure Route No data available.

Inhalation (Vapor) Exposure Route No data available.

Inhalation (Gas) Exposure Route No data available.

Ingredient Repeat Dose Toxicity Data

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route If available, see data below

Inhalation (Vapor) Exposure Route If available, see data below

minutation (vupor) Exposure reduce				ii availabio, ooo aata bolow	
Chemical Name Endpoint Re		Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Formaldehyde	Human	0.017 mg/L	0.5 days	Eye	RTECS (Registry of Toxic
(<0.1%)	TCLo			Lacrimation	Effects of Chemical
CAS#: 50-00-0				Lungs, Thorax, or Respiration	Substances)
				Other changes	
Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time	_	sources for data

Product Name STABLCAL® FORMAZIN STANDARD 20 NTU

Revision Date 15-Nov-2016

Page 12/21

Formaldehyde	Human	2 mg/L	40 minutes	Lungs, Thorax, or Respiration	RTECS (Registry of Toxic
(<0.1%)	TCLo			Other changes	Effects of Chemical
CAS#: 50-00-0				Respiratory depression	Substances)

Inhalation (Gas) Exposure Route

No data available

Chemical Name	CAS No	ACGIH	IARC	NTP	OSHA
1,3,5,7-Tetraazatricyclo[3.	100-97-0	=	-	=	-
3.1.1(3,7)]decane					
Sodium sulfate	7757-82-6	=	-	-	-
Formaldehyde	50-00-0	A2	Group 1	Known	X
Ammonium sulfate	7783-20-2	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of	X - Present
Labor)	

<u>Product Carcinogenicity Data</u>

No data available

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

Ingredient Carcinogenicity Data

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route

If available, see data below

				ii aranazio, ece data zeien		
	Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
		type	dose	time	-	sources for data
	Formaldehyde	Rat	15 mg/L	78 weeks	Olfaction	RTECS (Registry of Toxic
	(<0.1%)				Tumors	Effects of Chemical
	CAS#: 50-00-0					Substances)

Inhalation (Gas) Exposure Route

No data available

Product Germ Cell Mutagenicity invitro Data

No data available.

Ingredient Germ Cell Mutagenicity invitro Data

If available, see data below

Chemical Name	Test	Cell Strain	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data

Product Name STABLCAL® FORMAZIN STANDARD 20 NTU

Revision Date 15-Nov-2016

Page 13 / 21

1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	Cytogenetic analysis	Human HeLa Cell	1 mmol/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	Morphological transformation	Hamster kidney	10 mg/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

Ingredient Germ Cell Mutagenicity invivo Data

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route If available, see data below

				,		
Chemical Name	Test	Species	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data
Formaldehyde	DNA damage	Rat	0.000035	8 weeks	Positive test result for	RTECS (Registry
(<0.1%)			mg/L		mutagenicity	of Toxic Effects of
CAS#: 50-00-0						Chemical
						Substances)

Inhalation (Vapor) Exposure Route If available, see data below

maiation (vapor) =	Aposuic Route		ii avallabic	, occ data bol	O 11	
Chemical Name	Test	Species	Reported dose	Exposure time	Results	Key literature references and
						sources for data
Formaldehyde (<0.1%)	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for mutagenicity	of Toxic Effects of
CAS#: 50-00-0						Chemical
						Substances)
Chemical Name	Test	Species	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data
Formaldehyde	Micronucleus test	Human	2 mg/L	15 minutes	Positive test result for	
(<0.1%)					mutagenicity	of Toxic Effects of
CAS#: 50-00-0						Chemical
						Substances)

Inhalation (Gas) Exposure Route No data available

Oral Exposure Route No data available

Dermal Exposure Route No data available

Product Name STABLCAL® FORMAZIN STANDARD 20 NTU

Revision Date 15-Nov-2016

Page 14/21

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

Ingredient Reproductive Toxicity Data

Oral Exposure Route If available, see data below

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium sulfate	Mouse	14000 mg/kg	4 days	Effects on Newborn	RTECS (Registry of Toxic
(0.1 - 1%)	TDLo			Other neonatal measures or	Effects of Chemical
CAS#: 7757-82-6				effects	Substances)

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route If available, see data below

Chemical Name	Endpoint	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
	type				
Formaldehyde	Rat	40 mg/L	14 days	Effects on Embryo or Fetus	RTECS (Registry of Toxic
(<0.1%)	TCLo			Fetotoxicity (except death e.g.	Effects of Chemical
CAS#: 50-00-0				stunted fetus)	Substances)
Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time	_	sources for data
Formaldehyde	Rat	.001 mg/L	24 weeks	Effects on Embryo or Fetus	RTECS (Registry of Toxic
(<0.1%)	TCLo			Cytological changes (including	Effects of Chemical
CAS#: 50-00-0				somatic cell genetic material)	Substances)
Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time	-	sources for data
Formaldehyde	Rat TC _{L₀}	.0005 mg/L	19 days	Specific Developmental	RTECS (Registry of Toxic
(<0.1%)			-	Abnormalities Musculoskeletal	Effects of Chemical
CAS#: 50-00-0				system	Substances)

Inhalation (Gas) Exposure Route

No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity Based on the classification principles, not classified as hazardous

to the environment.

Product Ecological Data

Aquatic toxicity

Fish No data available

Crustacea No data available

Algae No data available

Terrestrial toxicity

Soil No data available

Vertebrates No data available

Invertebrates No data available

Product Name STABLCAL® FORMAZIN STANDARD 20 NTU

Revision Date 15-Nov-2016

Page 15/21

Ingredient Ecological Data

Aquatic toxicity

Fish If available, see ingredient data below

Fish	n If available, see ingredient data below						
Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data		
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	96 hours	Alburnus alburnus	LC50	> 10000 mg/L	No information available		
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	96 hours	None reported	LC ₅₀	56 mg/L	IUCLID (The International Uniform Chemical Information Database)		
Formaldehyde (<0.1%) CAS#: 50-00-0	96 hours	Morone saxatilis	LC50	6.7 mg/L	PEEN (Pan European Ecological Network)		
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	96 hours	Oncorhynchus mykiss	LC ₅₀	36.7 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)		
Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data		
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	96 hours	Pimephales promelas	LC ₅₀	7960 mg/L	IUCLID (The International Uniform Chemical Information Database)		
Formaldehyde (<0.1%) CAS#: 50-00-0	96 hours	None reported	LC50	52.5 mg/L	PEEN (Pan European Ecologica Network)		
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	96 hours	None reported	LC ₅₀	365 mg/L	GESTIS (Information System or Hazardous Substances of the German Social Accident Insurance)		

<u>Crustacea</u> If available, see ingredient data below

Chemical Name	Exposure	Species	Endpoint	Reported	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	time 48 Hours	Daphnia magna	EC ₅₀	dose > 36000 mg/L	EPA (United States Environmental Protection Agency)
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	48 Hours	Daphnia magna	EC50	3150 mg/L	IUCLID (The International Uniform Chemical Information Database)
Formaldehyde (<0.1%) CAS#: 50-00-0	48 Hours	Daphnia pulex	EC50	5.8 mg/L	PEEN (Pan European Ecological Network)
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	48 Hours	None reported	LC ₅₀	14 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	48 hours	Daphnia magna	EC50	29 mg/L	PEEN (Pan European Ecological Network)
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	48 hours	None reported	EC50	59 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident

Product Name STABLCAL® FORMAZIN STANDARD 20 NTU

Revision Date 15-Nov-2016

Page 16 / 21

induatioe)

Algae If available, see ingredient data below

Chemical Name	Exposure	Species	Endpoint	Reported	Key literature references and
	time		type	dose	sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan	72 hours	Selenastrum capricornutum	EC ₅₀	> 100 mg/L	CEPA (Canadian Environmental Protection Agency)
(5 - 10%) CAS#: 100-97-0					

Terrestrial toxicity

Soil No data available

Vertebrates No data available

Invertebrates No data available

Other Information

Canadian Environmental Protection Act (CEPA) - Domestic Substances List (DSL): Environmentally Hazardous Substances Categorizations

Chemical Name	Category	Persistent	Bioaccumulation	Inherently Toxic to Aquatic Organisms
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	Inorganics	Yes	No	Yes

Persistence and degradability

None known.

Product Biodegradability Data

If available, see ingredient data below.

Ingredient Biodegradability Data

Test data reported below

Chemical Name	Test method	Biodegradation	Exposure	Results
			time	
1,3,5,7-Tetraazatricyc		70%	28 days	Readily
lo[3.3.1.1(3,7)]decan				biodegradable
е				
(5 - 10%)				
CAS#: 100-97-0				

Bioaccumulation

If available, see ingredient data below.

Product Bioaccumulation Data

If available, see ingredient data below.

Ingredient Bioaccumulation Data

No data available

Chemical Name	Test method	Exposure time	Species	Bioconcentrat ion factor (BCF)	Results
Formaldehyde	None reported	None	None reported	None reported	Does not

Product Name STABLCAL® FORMAZIN STANDARD 20 NTU

Revision Date 15-Nov-2016

Page 17 / 21

ſ	(<0.1%)	reported		have the
	CAS#: 50-00-0			potential to
				bioaccumula
				te

Additional information

Product Information

Partition Coefficient (n-octanol/water)

Not applicable

Ingredient Information

Chemical Name	Partition Coefficient (n-octanol/water)	Method
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	$\log K_{ow} = -2.13$	No information available
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	log K _{ow} = -3	No information available
Formaldehyde (<0.1%) CAS#: 50-00-0	log K _{ow} = 0.35	No information available

Mobility

Mobility in soil: High mobility. If available, see ingredient data below.

Product Information

Soil Organic Carbon-Water Partition Coefficient

Not applicable

Ingredient Information

Chemical Name	Soil Organic Carbon-Water Partition Coefficient	Method
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	log K _{oc} = 2.68	No information available
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	log K _{oc} = -1.4	Estimation through KOCWIN v2.00 part of the Estimation Programs Interface (EPI) Suite™
Formaldehyde (<0.1%) CAS#: 50-00-0	log K₀c = 0.89	No information available

Additional information

Water solubility

Product Information

Water solubility classification	<u>Water solubility</u>	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Ingredient Information

Chemical Name	Water solubility classification	Water solubility	Water solubility temperature °C	,
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	Completely soluble	667000 mg/L	20 °C	68 °F

Product Name STABLCAL® FORMAZIN STANDARD 20 NTU

Revision Date 15-Nov-2016

Page 18 / 21

CAS#: 100-97-0				
Sodium sulfate CAS#: 7757-82-6	Completely soluble	160000 mg/L	20 °C	68 °F
Formaldehyde CAS#: 50-00-0	Completely soluble	> 40000 mg/L	20 °C	68 °F
Ammonium sulfate CAS#: 7783-20-2	Completely soluble	767000 mg/L	25 °C	77 °F

Other adverse effects

Contains a substance with an endocrine-disrupting potential.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national, and local laws and

regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

US EPA Waste Number Not applicable, U122

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde	U122	Included in waste	-	U122
50-00-0		streams: K009, K010,		
		K038, K040, K156, K157		

14. TRANSPORT INFORMATION

DOT Not regulated

Special Provisions

TDG Not regulated

IATA Not regulated

<u>IMDG</u> Not regulated

Note: No special precautions necessary.

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

TSCA Complies DSL/NDSL Complies

TSCA- United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL**- Canadian Domestic Substances List/Non-Domestic Substances List

Product Name STABLCAL® FORMAZIN STANDARD 20 NTU

Revision Date 15-Nov-2016

Page 19/21

International Inventories

EINECS/ELINCS Complies Complies **ENCS** Complies **IECSC KECL** Complies **PICCS** Complies **TCSI** Complies Complies **AICS** Complies **NZIoC**

EINECS/ELINCS- European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS- Japan Existing and New Chemical Substances

IECSC- China Inventory of Existing Chemical Substances

KECL- Korean Existing and Evaluated Chemical Substances

PICCS- Philippines Inventory of Chemicals and Chemical Substances

TCSI- Taiwan Chemical Substances Inventory

AICS- Australian Inventory of Chemical Substances

NZIoC- New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Formaldehyde (CAS #: 50-00-0)	0.1
Ammonium sulfate (CAS #: 7783-20-2)	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde 50-00-0	100 lb	-	-	Х

CERCLA

- [Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Ī	Formaldehyde 50-00-0	100 lb	100 lb	RQ 100 lb final RQ RQ 45.4 kg final RQ

U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical Name	U.S Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Formaldehyde (<0.1%)	Release - Toxic (solution)
CAS#: 50-00-0	

Product Name STABLCAL® FORMAZIN STANDARD 20 NTU

Revision Date 15-Nov-2016

Page 20 / 21

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Formaldehyde (CAS #: 50-00-0)	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane 100-97-0	X	-	-
Sodium sulfate 7757-82-6	-	Х	Х
Formaldehyde 50-00-0	X	X	Х
Ammonium sulfate 7783-20-2	-	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA and HMIS Classifications

NFPA	Health hazards - 2	Flammability - 0	Instability - 0	Physical and Chemical
				Properties -
HMIS	Health hazards - 2	Flammability - 0	Physical hazards - 0	Personal protection - X
				- See section 8 for more
				information

Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH Immediately Dangerous to Life or Health

ACGIH (American Conference of Governmental Industrial Hygienists)

NDF no data

RSP+

<u>Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION</u>

Respiratory sensitization

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization

Hazard Designation

Product Name STABLCAL® FORMAZIN STANDARD 20 NTU

Revision Date 15-Nov-2016

Page 21 / 21

C Carcinogen R Reproductive toxicant

M mutagen

Prepared By Hach Product Compliance Department

Issue Date 06-Jul-2016

Revision Date 15-Nov-2016

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2016

End of Safety Data Sheet