

# **Safety Data Sheet**

Issue Date: 01-Apr-2014 Revision Date: 14-Sep-2017 Version 3

# 1. IDENTIFICATION

Product Identifier

Product Name Buckeye Terminator

Other means of identification

**SDS #** BE-5099

Product Code 5099

Registration Number(s) EPA Reg. No. 6836-75-559

UN/ID No UN1760

Recommended use of the chemical and restrictions on use

Recommended Use EPA registered disinfectant.

Trecommended ose

Details of the supplier of the safety data sheet

Supplier Address

Buckeye International, Inc. 2700 Wagner Place Maryland Heights, MO 63043 USA

Maryland Heights, MO 03043 03A

Emergency Telephone Number

Company Phone Number 1-314-291-1900

Emergency Telephone (24 hr) Transportation - INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

Medical - (International) 1-651-632-8956 (North America) 1-800-303-0441

# 2. HAZARDS IDENTIFICATION

<u>Emergency Overview</u> This chemical is a product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-EPA registered chemicals. Please see Section 15 for additional EPA information.

Appearance Clear green liquid Physical state Liquid Odor Mild Fragrance added

# Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

#### **Signal Word**

Danger

# **Hazard statements**

Causes severe skin burns and eye damage



# **Precautionary Statements - Prevention**

Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Do not breathe dust/fume/gas/mist/vapors/spray

# **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

# **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
Nonylphenol Ethoxylate	127087-87-0	1.5-3.5
Di-n-alkyl Dimethyl Ammonium Chloride	68424-95-3	2.0-3.5
Alkyl dimethyl benzyl ammonium chloride (C12-16)	68424-85-1	1.0-2.5
Ethyl Alcohol	64-17-5	0.5-1.0

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST AID MEASURES

# First Aid Measures

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a poison center or

doctor/physician.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Take off contaminated clothing and wash it before reuse. Immediately

call a poison center or doctor/physician.

**Inhalation** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If not breathing, give artificial respiration. Immediately call a poison center or

doctor/physician.

**Ingestion** IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Have person sip a glass of water

if able to swallow. Never give anything by mouth to an unconscious person. Immediately

call a poison center or doctor/physician.

#### Most important symptoms and effects

**Symptoms** Causes severe skin burns and eye damage. Mist or vapor inhalation can cause irritation to

the nose, throat, and upper respiratory tract. Ingestion may cause nausea and headache.

# Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically. If the product is ingested, probable mucosal damage may

contraindicate the use of gastric lavage. Dermatitis or other pre-existing skin conditions may

be aggravated by overexposure to this product.

# 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Dry chemical. Foam. Water.

Unsuitable Extinguishing Media Not determined.

# **Specific Hazards Arising from the Chemical**

Combustion products may be toxic.

Hazardous Combustion Products Carbon oxides. Nitrogen oxides (NOx). Hydrogen chloride.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal Precautions**Use personal protective equipment as required.

#### Environmental precautions

**Environmental precautions** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS. See

Section 12 for additional Ecological Information.

#### Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Pick up with mop, wet/dry vac, or absorbent material. Rinse area with clear water and allow

floor to dry before allowing traffic.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Use personal protection recommended in Section 8. Wash face,

hands and any exposed skin thoroughly after handling. Do not breathe

dust/fume/gas/mist/vapors/spray.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep

container closed when not in use.

Packaging Materials Rinse container before discarding.

**Incompatible Materials** Chlorine bleach. Anionic detergents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl Alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>
		(vacated) TWA: 1900 mg/m <sup>3</sup>	-

# **Appropriate engineering controls**

**Engineering Controls** Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

# Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Splash goggles or safety glasses.

**Skin and Body Protection**Rubber gloves. Normal work clothing (long sleeved shirts and long pants) is recommended.

Wear water or chemical resistant footwear when scrubbing floors.

Tag Closed Cup

(Water = 1)

**Respiratory Protection** Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Liquid

AppearanceClear green liquidOdorMild Fragrance addedColorClear greenOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

**pH** 11.8-12.2 (conc.)

9.7-10.7 (1:64 dilution)

Melting Point/Freezing Point Not determined

Boiling Point/Boiling Range 100 °C / 212 °F Flash Point >93.3 °C / >200 °F

Evaporation Rate 1.0

Flammability (Solid, Gas) Liquid-Not Applicable

Flammability Limits in Air

Upper Flammability Limits
Lower Flammability Limit

Vapor Pressure
Vapor Density

Not Applicable
Not determined
Not determined

Relative Density 1.01
Water Solubility Infinite

Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

# 10. STABILITY AND REACTIVITY

# Reactivity

Not reactive under normal conditions.

# **Chemical Stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

# **Conditions to Avoid**

Keep separated from incompatible substances. Keep out of reach of children.

#### **Incompatible Materials**

Chlorine bleach. Anionic detergents.

#### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

**Product Information** 

**Eye Contact** Causes severe eye damage.

**Skin Contact** Causes severe skin burns.

**Inhalation** Avoid breathing vapors or mists.

**Ingestion** Do not ingest.

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Nonylphenol Ethoxylate 127087-87-0	= 1310 mg/kg (Rat)	-	-
Alkyl dimethyl benzyl ammonium chloride (C12-16) 68424-85-1	= 426 mg/kg (Rat)	-	-
Ethyl Alcohol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat)4 h

# Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Carcinogenicity** The ingredient in this product is only classified as a carcinogen when consumed as an

alcoholic beverage in long-term studies.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl Alcohol	A3	Group 1	Known	X
64-17-5				

BE-5099 - Buckeye Terminator

Revision Date: 14-Sep-2017

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

# **Numerical measures of toxicity**

Not determined.

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

# **Component Information**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Ethyl Alcohol		12.0 - 16.0: 96 h Oncorhynchus	10800: 24 h Daphnia magna mg/L
64-17-5		mykiss mL/L LC50 static 13400 -	EC50 2: 48 h Daphnia magna mg/L
		15100: 96 h Pimephales promelas	EC50 Static 9268 - 14221: 48 h
		mg/L LC50 flow-through 100: 96 h	Daphnia magna mg/L LC50
		Pimephales promelas mg/L LC50	_
		static	

# Persistence/Degradability

Not determined.

#### **Bioaccumulation**

Not determined.

# **Mobility**

Chemical Name	Partition Coefficient
Ethyl Alcohol	-0.32
64-17-5	

# **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

# **Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

# California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Ethyl Alcohol	Toxic
64-17-5	Ignitable

# 14. TRANSPORT INFORMATION

**Note** Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

UN1760

Proper Shipping Name Corrosive liquid, n.o.s. (Dialkyldimethylammonium chloride)

Hazard Class 8
Packing Group II

**IATA** 

UN1760

Proper Shipping Name Corrosive liquid, n.o.s. (Dialkyldimethylammonium chloride)

Hazard Class 8
Packing Group || |

IMDG Not regulated UN/ID No UN1760

Proper Shipping Name Corrosive liquid, n.o.s. (Dialkyldimethylammonium chloride)

Hazard Class 8
Packing Group ||

Marine Pollutant Not a marine pollutant

# 15. REGULATORY INFORMATION

#### **International Inventories**

Chemical Name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Nonylphenol Ethoxylate	Χ	Х	Χ	Present	X	Present	Χ	Χ
Di-n-alkyl Dimethyl Ammonium Chloride	Х	Х	Х	Present	Х	Present	Х	Х
Alkyl dimethyl benzyl ammonium chloride (C12-16)	Х	Х	Х	Present	Х	Present	Х	Х
Ethyl Alcohol	Χ	Х	Х	Present	Х	Present	Χ	Χ

# Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# US Federal Regulations

# **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

# **SARA 313**

Not determined

Revision Date: 14-Sep-2017

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

# **US State Regulations**

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Ethyl Alcohol - 64-17-5	Carcinogen
	Developmental

# **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Water			X
7732-18-5			
Ethyl Alcohol	X	X	X
64-17-5			

#### EPA Pesticide Registration Number EPA Reg. No 6836-75-559

#### **EPA Statement**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

# **EPA Pesticide Label**

Signal Word: Danger

Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective (rubber or chemical resistant) gloves and protective clothing. Harmful if swallowed or absorbed through the skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse

#### Difference between SDS and EPA pesticide label

	EPA	OSHA
Signal Word	Danger	Danger
Skin corrosion/irritation	Causes skin burns	Causes severe skin burns
Serious eye damage/eye irritation	Causes irreversible eye damage	Causes serious eye damage

**16. OTHER INFORMATION** 

**Special Hazards** NFPA **Health Hazards Flammability** Instability Not determined

HMIS **Health Hazards Flammability Physical hazards Personal Protection** 

Not determined Not determined Not determined Not determined

**Issue Date:** 01-Apr-2014 **Revision Date:** 14-Sep-2017 **Revision Note:** Regulatory Update

# **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**