

SAFETY DATA SHEET

Issue Date 15-Aug-2018 Revision Date 17-Aug-2018 Version 7.2 Page 1 / 18

1. IDENTIFICATION

Product identifier

Product Name STABLCAL® Formazin Standard 10 NTU

Other means of identification

Product Code(s) BCK063

Safety data sheet number M01360

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory Use. Standard solution.

Uses advised against None. Restrictions on use None.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company P.O.Box 389 Loveland, CO 80539 USA +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service +1(515)232-2533 - 8am - 4pm CST

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Respiratory sensitization	Category 1
Skin sensitization	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word - Danger



Hazard statements

EN / AGHS Page 1/18

Product Name STABLCAL® Formazin Standard 10 NTU Revision Date 17-Aug-2018

Page 2/18

H317 - May cause an allergic skin reaction

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Precautionary statements

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P285 - In case of inadequate ventilation wear respiratory protection

P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

P501 - Dispose of contents/ container to an approved waste disposal plant

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

Other Hazards Known

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family

Mixture.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	100-97-0	5 - 10%	•
Sodium sulfate	7757-82-6	<1%	-
Formaldehyde	50-00-0	<0.1%	-
Ammonium sulfate	7783-20-2	<0.01%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration.

Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical advice/attention.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a physician.

Ingestion May produce an allergic reaction. Do NOT induce vomiting. Clean mouth with water and

drink afterwards plenty of water. Never give anything by mouth to an unconscious person.

Get immediate medical advice/attention.

Ensure that medical personnel are aware of the material(s) involved, take precautions to Self-protection of the first aider

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or

EN / AGHS Page 2/18

Product Name STABLCAL® Formazin Standard 10 NTU

Revision Date 17-Aug-2018

Page 3/18

clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

Symptoms May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or

wheezing. Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by inhalation and skin contact.

May cause sensitization by skin contact.

Hazardous combustion products This material will not burn.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear.

6. ACCIDENTAL RELEASE MEASURES

U.S. NoticeOnly persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR

1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations

should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

EN / AGHS Page 3/18

Product Code(s) BCK063 Issue Date 15-Aug-2018

Version 7.2

Product Name STABLCAL® Formazin Standard 10 NTU

Revision Date 17-Aug-2018

Page 4/18

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with Advice on safe handling

> skin, eyes or clothing. Ensure adequate ventilation. Provide extract ventilation to points where emissions occur. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Remove contaminated

clothing and shoes. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. **Storage Conditions**

Keep out of the reach of children.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Formaldehyde	STEL: 0.3 ppm	TWA: 0.75 ppm	IDLH: 20 ppm
CAS#: 50-00-0	TWA: 0.1 ppm	(vacated) TWA: 3 ppm	Ceiling: 0.1 ppm 15 min
		(vacated) STEL: 10 ppm	TWA: 0.016 ppm
		(vacated) Ceiling: 5 ppm	
		STEL: 2 ppm	

Appropriate engineering controls

Engineering Controls

Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

No protective equipment is needed under normal use conditions. If exposure limits are Respiratory protection

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hand Protection Wear suitable gloves.

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin and body protection Wear suitable protective clothing.

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do **General Hygiene Considerations**

not eat, drink or smoke when using this product. Remove and wash contaminated clothing

and gloves, including the inside, before re-use.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Do not

allow into any sewer, on the ground or into any body of water.

Thermal hazards None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state

EN / AGHS Page 4/18 Product Code(s) BCK063 Issue Date 15-Aug-2018

Version 7.2

Product Name STABLCAL® Formazin Standard 10 NTU

Revision Date 17-Aug-2018

Page 5/18

Appearance Turbid solution

aqueous solution

Odorless

Color Milky white

Odor threshold No data available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Molecular weight No data available

pH 8.14

Melting point/freezing point 0 °C / 32 °F

Boiling point / boiling range 100 °C / 212 °F

Evaporation rate 1 (water = 1) Estimation based on theoretical Estimation based on theoretical

calculation calculation

tion carotiatio

Vapor pressure 17.477 mm Hg / 2.33 kPa at 20 °C / 68 °F Estimation based on theoretical

calculation

Vapor density (air = 1) 0.62

Specific gravity (water = 1 / air = 1) 1.02

Partition Coefficient (n-octanol/water) Not applicable

Soil Organic Carbon-Water Partition

Coefficient

Not applicable

Autoignition temperature

No data available

Decomposition temperature

No data available

Decomposition temperatureNo data available

Dynamic viscosity No data available

Kinematic viscosity No data available

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name	Solubility classification	<u>Solubility</u>	Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

Other Information

Metal Corrosivity

Steel Corrosion RateNo data availableAluminum Corrosion RateNo data available

Volatile Organic Compounds (VOC) Content

No information available See ingredients information below

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]de	100-97-0	Not applicable	X

EN / AGHS Page 5/18

Product Name STABLCAL® Formazin Standard 10 NTU

Revision Date 17-Aug-2018

Page 6/18

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
cane			
Sodium sulfate	7757-82-6	No data available	-
Formaldehyde	50-00-0	No data available	Χ
Ammonium sulfate	7783-20-2	No data available	-

Explosive properties

Upper explosion limitNo data availableLower explosion limitNo data available

Flammable properties

Flash point No data available

Flammability Limit in Air

Upper flammability limitNo data availableLower flammability limitNo data available

Oxidizing properties No data available.

Bulk density No data available

Particle Size No information available

Particle Size Distribution No information available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None Sensitivity to Static Discharge None.

Possibility of Hazardous Reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid

Conditions to avoid None known based on information supplied.

Incompatible materials

Incompatible materials Strong oxidizing agents, strong acids, and strong bases.

Hazardous Decomposition Products

Ammonia. Carbon monoxide. Formaldehyde. Nitrogen oxides. Sodium oxides. Sulfur oxides.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

EN / AGHS Page 6/18

Product Name STABLCAL® Formazin Standard 10 NTU Revision Date 17-Aug-2018

Page 7/18

Product Information

Inhalation May cause sensitization in susceptible persons.

No known effect based on information supplied. Eye contact

Skin contact Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

May cause sensitization by skin contact.

Ingestion May cause additional affects as listed under "Inhalation".

Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling **Symptoms**

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing.

Coughing and/ or wheezing. Itching. Rashes. Hives.

Toxicologically synergistic

Aggravated Medical Conditions Respiratory disorders. Skin disorders. Allergies.

None known.

products

Toxicokinetics, metabolism and See ingredients information below.

distribution

Chemical name	Toxicokinetics, metabolism and distribution
1	Readily Absorbed via the respiratory and gastrointestinal routes. Absorbed formaldehyde can be oxidized to formate and carbon dioxide. Half-life of formaldehyde is 1 min in rat plasma.
CAS#: 50-00-0	

Product Acute Toxicity Data

Oral Exposure Route No data available **Dermal Exposure Route** No data available Inhalation (Dust/Mist) Exposure Route No data available Inhalation (Vapor) Exposure Route No data available Inhalation (Gas) Exposure Route No data available

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Ingredient Acute Toxicity Data

Oral Exposure Route If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LD ₅₀	100 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	Rat LD ₅₀	2840 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)

EN / AGHS Page 7/18

Product Name STABLCAL® Formazin Standard 10 NTU

Revision Date 17-Aug-2018

Page 8 / 18

Dermal Exposure Route

If available, see data below

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rabbit LD ₅₀	270 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Inhalation (Dust/Mist) Exposure Route If av				If available, see data below	·

Chemical name Endpoint Reported **Exposure Toxicological effects** Key literature references and type dose time sources for data Formaldehyde Rat 0.578 mg/L 4 hours None reported LOLI (<0.1%) LC50 CAS#: 50-00-0

Inhalation (Vapor) Exposure Route Inhalation (Gas) Exposure Route

If available, see data below If available, see data below

Product Specific Target Organ Toxicity Single Exposure Data

Oral Exposure RouteNo data availableDermal Exposure RouteNo data availableInhalation (Dust/Mist) Exposure RouteNo data availableInhalation (Vapor) Exposure RouteNo data availableInhalation (Gas) Exposure RouteNo data available

Ingredient Specific Target Organ Toxicity Single Exposure Data

g. • • · · · • •	•••••	g 	 <u> </u>	 		
Oral Exposur	e Route			If available	see data	helow

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Formaldehyde	Human	70 mg/kg	None	Gastrointestinal	RTECS (Registry of Toxic
(<0.1%)	LDLo		reported	Kidney, Ureter, or Bladder	Effects of Chemical
CAS#: 50-00-0				Liver	Substances)
				Other changes	·
				Ulcerated stomach	
				Other changes	
Ammonium sulfate	Man	1500 mg/kg	None	Gastrointestinal	RTECS (Registry of Toxic
(<0.01%)	TD_Lo		reported	Gas	Effects of Chemical
CAS#: 7783-20-2			•		Substances)
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time	-	sources for data
Formaldehyde	Human	643 mg/kg	None	Gastrointestinal	RTECS (Registry of Toxic
(<0.1%)	TDLo		reported	Lungs, Thorax, or	Effects of Chemical
CAS#: 50-00-0			-	Respiration	Substances)
				Nausea or vomiting	·
				Respiratory obstruction	
				Ulcerated stomach	
Ammonium sulfate	Domestic	3500 mg/kg	None	Lungs, Thorax, or	RTECS (Registry of Toxic
(<0.01%)	mammal -		reported	Respiration	Effects of Chemical
CAS#: 7783-20-2	Not specified			Respiratory stimulation	Substances)
	LD _{Lo}				,

Dermal Exposure Route Inhalation (Dust/Mist) Exposure Route Inhalation (Vapor) Exposure Route Inhalation (Gas) Exposure Route If available, see data below If available, see data below If available, see data below If available, see data below

Aspiration toxicity

No data available

Product Skin Corrosion/Irritation Data

No data available.

Ingredient Skin Corrosion/Irritation Data

EN / AGHS Page 8/18

Product Name STABLCAL® Formazin Standard 10 NTU **Revision Date** 17-Aug-2018

Page 9/18

If available, see data below

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and
						sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	Organization for Economic Co-operation and Development (OECD) - Test 404: Acute Dermal Corrosion/Irritation	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Sodium sulfate (<1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS (Registry of Toxic Effects of Chemical Substances)
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	800 mg	20 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)

Product Serious Eye Damage/Eye Irritation Data

No data available.

Ingredient Eye Damage/Eye Irritation Data

If available, see data below

ii avallable, see data b						T
Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	Organization for Economic Co-operation and Development (OECD) - Test 405: Acute Eye Corrosion/Irritation	Rabbit	100 mg	24 hours	Not corrosive or irritating to eyes	sources for data ECHA (The European Chemicals Agency)
Sodium sulfate (<1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	90 mg	24 hours	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)
Formaldehyde (<0.1%) CAS#: 50-00-0	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances)
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	0.050 mL	None reported	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)

Sensitization Information

Product Sensitization Data

Skin Sensitization Exposure Route Respiratory Sensitization Exposure Route No data available. No data available.

Ingredient Sensitization Data

Skin Sensitization Exposure Route If available, see data below

Skill Selisitization Exposure Route				ii avaliable, see data below	•
	Chemical name	Test method	Species	Results	Key literature references and
					sources for data
	1,3,5,7-Tetraazatricyc	OECD Test No.	Guinea pig	Confirmed to be a skin sensitizer	ECHA (The European Chemicals
	lo[3.3.1.1(3,7)]decan	406: Skin			Agency)
	е	Sensitization			
	(5 - 10%)				

EN / AGHS Page 9/18

Product Name STABLCAL® Formazin Standard 10 NTU **Revision Date** 17-Aug-2018

Page 10 / 18

CAS#: 100-97-0				
Sodium sulfate (<1%)	OECD Test No. 406: Skin	Guinea pig	Not confirmed to be a skin sensitizer	HSDB (Hazardous Substances Data Bank)
CAS#: 7757-82-6	Sensitization			,
Formaldehyde (<0.1%) CAS#: 50-00-0	Patch test	Human	Confirmed to be a skin sensitizer	ERMA (New Zealands Environmental Risk Management Authority)

Respiratory Sensitization Exposure Route If available, see data below.

Chemical name	Test method	Species	Results	Key literature references and
				sources for data
1,3,5,7-Tetraazatricyc	Based on human	Human	Confirmed to be a respiratory	HSDB (Hazardous Substances Data
lo[3.3.1.1(3,7)]decan	experience		sensitizer	Bank)
е				
(5 - 10%)				
CAS#: 100-97-0				
Formaldehyde	IgE Specific	Guinea pig	Confirmed to be a respiratory	CICAD (Concise International
(<0.1%)	Immune Response		sensitizer	Chemical Assessment Documents)
CAS#: 50-00-0	Test			·

Chronic Toxicity Information

Product Specific Target Organ Toxicity Repeat Dose Data

Oral Exposure Route

Dermal Exposure Route

Inhalation (Dust/Mist) Exposure Route

Inhalation (Vapor) Exposure Route

Inhalation (Gas) Exposure Route

No data available.

No data available.

No data available.

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Oral Exposure Route If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	Rat NOAEL	80 mg/kg	None reported	None reported	Vendor SDS

Dermal Exposure Route Inhalation (Dust/Mist) Exposure Route

If available, see data below If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyc	Rat	350 mg/m ³	21 days	Kidney, Ureter, or Bladder	RTECS (Registry of Toxic
lo[3.3.1.1(3,7)]decan	TCLo			Urine volume decreased or	Effects of Chemical
е				anuria	Substances)
(5 - 10%)				Nutritional and Gross	
CAS#: 100-97-0				Metabolic	
				Weight loss or decreased	
				weight gain	
				Biochemical	
				Enzyme inhibition, induction, or	
				change in blood or tissue levels	
				(true cholinesterase)	

Inhalation (Vapor) Exposure Route If available, see data below

illiaiation (vapor)	chozare vonte	7		ii avaliable, see data below	
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Formaldehyde	Human	0.017 mg/L	0.5 days	Eye	RTECS (Registry of Toxic
(<0.1%)	TCLo			Lungs, Thorax, or	Effects of Chemical
CAS#: 50-00-0				Respiration	Substances)
				Lacrimation	
				Other changes	

EN / AGHS Page 10/18

Product Name STABLCAL® Formazin Standard 10 NTU

Revision Date 17-Aug-2018

Page 11 / 18

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TC∟₀	2 mg/L	40 minutes	Lungs, Thorax, or Respiration Other changes Respiratory depression	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route

If available, see data below

Product Carcinogenicity Data

Oral Exposure Route

Dermal Exposure Route

Inhalation (Dust/Mist) Exposure Route

Inhalation (Vapor) Exposure Route

Inhalation (Gas) Exposure Route

No data available

No data available

No data available

No data available

Ingredient Carcinogenicity Data

ingredient our emogernent	y Data				
Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
1,3,5,7-Tetraazatricyclo[3.	100-97-0	-	-	-	-
3.1.1(3,7)]decane					
Sodium sulfate	7757-82-6	-	-	1	-
Formaldehyde	50-00-0	A1	Group 1	Known	X
Ammonium sulfate	7783-20-2	-	-	_	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of	X - Present
Labor)	

Oral Exposure Route

Dermal Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat	15 mg/L	78 weeks	Olfaction Tumors	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route

If available, see data below

Product Germ Cell Mutagenicity invitro Data

No data available.

Ingredient Germ Cell Mutagenicity invitro Data

If available, see data below

Chemical name	Test	Cell Strain	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data
1,3,5,7-Tetraazatricyc	Cytogenetic	Human HeLa Cell	1 mmol/L	None	Positive test result for	RTECS (Registry
lo[3.3.1.1(3,7)]decan	analysis			reported	mutagenicity	of Toxic Effects of
e	•					Chemical
(5 - 10%)						Substances)
CAS#: 100-97-0						,
Chemical name	Test	Cell Strain	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data
1,3,5,7-Tetraazatricyc	Morphological	Hamster kidney	10 mg/L	None	Positive test result for	RTECS (Registry
lo[3.3.1.1(3,7)]decan	transformation		_	reported	mutagenicity	of Toxic Effects of

EN / AGHS Page 11/18

Product Name STABLCAL® Formazin Standard 10 NTU

Revision Date 17-Aug-2018

Page 12 / 18

е			Chemical
(5 - 10%)			Substances)
CAS#: 100-97-0			

Product Germ Cell Mutagenicity invivo Data

Oral Exposure RouteNo data availableDermal Exposure RouteNo data availableInhalation (Dust/Mist) Exposure RouteNo data availableInhalation (Vapor) Exposure RouteNo data availableInhalation (Gas) Exposure RouteNo data available

Ingredient Germ Cell Mutagenicity invivo Data

Oral Exposure Route If available, see data below

				,		
Chemical name	Test	Species	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data
1,3,5,7-Tetraazatricyc	Dominant lethal	Mouse	25000 mg/kg	None	Positive test result for	RTECS (Registry
lo[3.3.1.1(3,7)]decan	test			reported	mutagenicity	of Toxic Effects of
е						Chemical
(5 - 10%)						Substances)
CAS#: 100-97-0						·

Dermal Exposure Route
Inhalation (Dust/Mist) Exposure Route
Inhalation (Vapor) Exposure Route

If available, see data below If available, see data below If available, see data below

Chemical name	Test	Species	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data
Formaldehyde	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for	RTECS (Registry
(<0.1%)					mutagenicity	of Toxic Effects of
CAS#: 50-00-0						Chemical
						Substances)
Chemical name	Test	Species	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data
Formaldehyde	Micronucleus test	Human	2 mg/L	15 minutes	Positive test result for	RTECS (Registry
(<0.1%)					mutagenicity	of Toxic Effects of
CAS#: 50-00-0						Chemical
						Substances)

Inhalation (Gas) Exposure Route

If available, see data below

Product Reproductive Toxicity Data

Oral Exposure RouteNo data availableDermal Exposure RouteNo data availableInhalation (Dust/Mist) Exposure RouteNo data availableInhalation (Vapor) Exposure RouteNo data availableInhalation (Gas) Exposure RouteNo data available

Ingredient Reproductive Toxicity Data

Oral Exposure Route If available, see data below

Ī	Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
L		type	dose	time		sources for data
Γ	Sodium sulfate	Mouse	14000 mg/kg	4 days	Effects on Newborn	RTECS (Registry of Toxic
1	(<1%)	TDLo			Other neonatal measures or	Effects of Chemical
	CAS#: 7757-82-6				effects	Substances)

Dermal Exposure RouteIf available, see data belowInhalation (Dust/Mist) Exposure RouteIf available, see data belowInhalation (Vapor) Exposure RouteIf available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Rat	40 mg/L	14 days	Effects on Embryo or Fetus	RTECS (Registry of Toxic

EN / AGHS Page 12 / 18

Product Name STABLCAL® Formazin Standard 10 NTU

Revision Date 17-Aug-2018

Page 13 / 18

(<0.1%)	TCLo			Fetotoxicity (except death e.g.	Effects of Chemical
CAS#: 50-00-0				stunted fetus)	Substances)
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Formaldehyde	Rat	.001 mg/L	24 weeks	Effects on Embryo or Fetus	RTECS (Registry of Toxic
(<0.1%)	TCLo			Cytological changes (including	Effects of Chemical
CAS#: 50-00-0				somatic cell genetic material)	Substances)

Inhalation (Gas) Exposure Route

If available, see data below

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product Ecological Data

Aquatic toxicity

FishNo data availableCrustaceaNo data availableAlgaeNo data available

Ingredient Ecological Data

Aquatic toxicity

Fish If available, see ingredient data below

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate (<1%) CAS#: 7757-82-6	96 hours	None reported	LC50	56 mg/L	IUCLID (The International Uniform Chemical Information Database)
Formaldehyde (<0.1%) CAS#: 50-00-0	96 hours	Morone saxatilis	LC50	6.7 mg/L	PEEN (Pan European Ecological Network)
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	96 hours	Oncorhynchus mykiss	LC50	36.7 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)

Crustacea If available, see ingredient data below

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate (<1%) CAS#: 7757-82-6	48 Hours	Daphnia magna	EC ₅₀	3150 mg/L	IUCLID (The International Uniform Chemical Information Database)
Formaldehyde (<0.1%) CAS#: 50-00-0	48 Hours	Daphnia pulex	EC50	5.8 mg/L	PEEN (Pan European Ecological Network)
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	48 Hours	None reported	LC ₅₀	14 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)

Algae

If available, see ingredient data below

Other Information

Persistence and degradability

Product Biodegradability Data

No data available.

EN / AGHS Page 13/18

Product Name STABLCAL® Formazin Standard 10 NTU **Revision Date** 17-Aug-2018

Page 14 / 18

Ingredient Biodegradability Data

Chemical name	Test method	Biodegradation	Exposure	Results
			time	
1,3,5,7-Tetraazatricyc	None reported	70%	28 days	Readily
lo[3.3.1.1(3,7)]decan				biodegradable
е				
(5 - 10%)				
CAS#: 100-97-0				

Bioaccumulation

Product Bioaccumulation Data

No data available.

Partition Coefficient (n-octanol/water)

Not applicable

Ingredient Bioaccumulation Data

Chemical name	Test method	Exposure time	Species	Bioconcentrat ion factor (BCF)	Results
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	None reported	None reported	None reported	None reported	Not determined
Formaldehyde (<0.1%) CAS#: 50-00-0	Estimation through BCFBAF v3.01 part of the Estimation Programs Interface (EPI) Suite TM	None reported	None reported	BCF = 3.16228	Does not have the potential to bioaccumula te

Mobility

Soil Organic Carbon-Water Partition Coefficient

Not applicable

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Other adverse effects

Contains a substance with an endocrine-disrupting potential.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

products

Waste from residues/unused

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

US EPA Waste Number U122

		Chemical name	RCRA	RCRA - Basis for	RCRA - D Series	RCRA - U Series
--	--	---------------	------	------------------	-----------------	-----------------

EN / AGHS Page 14/18

Product Name STABLCAL® Formazin Standard 10 NTU Revision Date 17-Aug-2018

Page 15 / 18

		Listing	Wastes	Wastes
Formaldehyde	U122	Included in waste	-	U122
50-00-0		streams: K009, K010,		
		K038, K040, K156, K157		

14. TRANSPORT INFORMATION

U.S. DOT Not regulated

Special Provisions

TDG Not regulated

<u>IATA</u> Not regulated

<u>IMDG</u> Not regulated

Note: No special precautions necessary.

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

TSCA Complies DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS Complies **ENCS** Does not comply Does not comply **IECSC KECL** Complies **PICCS** Does not comply TCSI Does not comply **AICS** Does not comply Complies **NZIoC**

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

EN / AGHS Page 15/18

Product Name STABLCAL® Formazin Standard 10 NTU

Revision Date 17-Aug-2018

Page 16 / 18

Chemical name	SARA 313 - Threshold Values %
Formaldehyde (CAS #: 50-00-0)	0.1
Ammonium sulfate (CAS #: 7783-20-2)	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde 50-00-0	100 lb	-	-	Х

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Formaldehyde	100 lb	100 lb	RQ 100 lb final RQ
50-00-0			RQ 45.4 kg final RQ

U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical name	U.S Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Formaldehyde (<0.1%) CAS#: 50-00-0	Release - Toxic (solution)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Formaldehyde (CAS #: 50-00-0)	Carcinogen

WARNING: This product can expose you to chemicals including Formaldehyde, which is known to the State of California to cause cancer.

For more information, go to http://www.P65Warnings.ca.gov

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
1,3,5,7-Tetraazatricyclo[3.3.1.1(X	-	-
3,7)]decane 100-97-0			

EN / AGHS Page 16/18

Product Name STABLCAL® Formazin Standard 10 NTU

Revision Date 17-Aug-2018

Page 17 / 18

Sodium sulfate 7757-82-6	-	X	Х
Formaldehyde 50-00-0	X	X	X
Ammonium sulfate 7783-20-2	-	X	Х

U.S. EPA Label Information

Chemical name	FIFRA	FDA
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	180.0910	-
Sodium sulfate	-	21 CFR 186.1797
Ammonium sulfate	180.0910	21 CFR 184.1143

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thersholds
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane 100-97-0	Declarable Substance (FI)	0.1 %
Formaldehyde	Declarable Substance (FI)	0.0 %
50-00-0	Prohibited Substance (LR)	0.1 %
	Declarable Substance (LR)	

NFPA and HMIS Classifications

NFPA	Health hazards - 2	Flammability - 0	Instability - 0	Physical and Chemical Properties -
HMIS	Health hazards - 2	Flammability - 0	Physical Hazards - 0	Personal protection - X - See section 8 for more information

Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH Immediately Dangerous to Life or Health

ACGIH ACGIH (American Conference of Governmental Industrial Hygienists)

NDF no data

<u>Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION</u>

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

MAC Maximum Allowable Concentration Ceiling Ceiling Limit Value

X Listed Vacated These values have no official status. The only

binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state

EN / AGHS Page 17/18

Product Name STABLCAL® Formazin Standard 10 NTU **Revision Date** 17-Aug-2018

Page 18 / 18

regulations.

SKN* Skin designation SKN+ Skin sensitization
RSP+ Respiratory sensitization ** Hazard Designation
C Carcinogen R Reproductive toxicant

M mutagen

Prepared By Hach Product Compliance Department

Issue Date 15-Aug-2018

Revision Date 17-Aug-2018

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2018

End of Safety Data Sheet

EN / AGHS Page 18/18